

Catalogue

“From Our Industry, Products That Make a Difference”



www.en.morettispa.com/industry



**Raw material
selection**



**Finishing and
assembly**



**Quality and
compliance
testing**

MORETTI INDUSTRY:

INNOVATION AND GROWTH FOR PRODUCTIVE EXCELLENCE

It has been over 10 years since Moretti established its in-house production department. A real industry inside the company that has grown and specialized over time, acquiring expert skills and innovative technologies.

The industrial reality of Moretti is built on the profound knowledge that the company

has acquired over time and continues to develop, both in terms of market dynamics and the specific product features that best meet the end user's needs.

Products signed by Moretti Industry are the result of ingenuity and the ability to shape new ideas, leveraging the know-how gained through traveling, testing and delving

into the characteristics of materials, processes and technologies to achieve the highest quality standards.


Today, on the verge of expanding its operational space to dedicate an entire facility to its production department, Moretti is able to offer its partners a wide range of "short supply chain" products:




internally designed, produced with on-demand manufacturing processes and ensuring reliable production and delivery times.

The expansion of the production department is part of a rapidly growing company that today has over 2,500 clients in Italy. Moretti is also serving 20 countries across Europe with a wide and constantly updated range of products and four years ago, it launched Moretti Ibérica, a new company replicating the Italian Moretti format in the heart of Spain.

Finally, the company's investment in a significant expansion of its internal production sector is a concrete translation of a business strategy always focused on generating value and supporting the local territory and social fabric. Moretti chooses to invest in technologies and specialized skills, with a proactive market approach and a constant focus on the needs and well-being of those, for whom making a tangible difference matters.





Index.

4 || Electric lifters

12 || Stand up lifters


24 || Multifunctional
chairs

8 || Patient lifters

16 || Shower trolleys

28 || Examination
couches





38 || Steel examination
couches

44 || Revolving stools

46 || I.V. Poles

42 || Ward stretcher

45 || Painted
steel steps

50 || Modular
trolleys



Electric lifters

MUEVO HOME and MUEVO HOME LIGHT electric lifters are used for lifting and transferring, in a sitting position, people with mobility difficulties.

Electric up to 135 kg



Motorization
TiMOTION



MOPEDIA®

Muevo HOME
Light



MANUAL
LEGS
OPENING



Max loading
weight **135 Kg**

SUPPLIED




Equipped with standard adjustable
sling/seat and backrest

Specifications

Material 100% Polyester fabric, ribbon and thread

Dimensions

A: 56 cm - B: 48 cm - C: 45 cm




* For greater comfort, it is possible to combine the RP200, RP210, RP215 restraint systems of KOALA collection line.

CODE RI905

Compass manual legs opening
and electric lifting

- Supplied with removable padded backrest
- Emergency stop button
- Control box with rechargeable and removable battery, with indication of the charge level
- Remote control for elevation
- Removable arms and legs
- 4 castors, the 2 rear ones with brake



Dimensions

A: 100 cm	E (internal): 46÷114 cm	G: 93 cm
B: 12 cm	F (external): 54÷120 cm	H: 35 cm
C: 84÷119 cm		
D: 52 cm		

Weight

39 Kg

Electric up to 180 kg



Motorization
08 T7MOTION




MOPEDIA®

Muevo HOME



**ELECTRIC
LIFTING &
LEGS
OPENING**



Max loading
weight **180 Kg**

SUPPLIED




Equipped with standard adjustable
sling/seat and backrest

Specifications

Material 100% Polyester fabric, ribbon and thread

Dimensions

A: 56 cm - B: 48 cm - C: 45 cm



* For greater comfort, it is possible to combine the RP200, RP210, RP215 restraint systems of KOALA collection line.


6



CODE RI900

Electric legs opening
and lifting

- Supplied with removable padded backrest
- Emergency stop button
- Control box with rechargeable and removable battery, with indication of the charge level
- Remote control for elevation and legs opening
- Removable arms
- 5 castors, the 2 rear ones with brake



Dimensions

A: 100 cm
B: 12 cm
C: 84÷119 cm
D (internal): 50÷75 cm
E (external): 58÷83 cm
F: 82,5 cm
G: 95 cm
H: 52 cm
I: 30 cm

Weight

57 Kg


ACCESSORIES



Lifting arm can be installed on the central bearing column, by easily removing the two horizontal arms. It allows the device to be used as a patient lift using the slings of MUEVO patient lifts range.

CODE RIA910

Dimensions
A: 123÷158 cm
B: 147÷182 cm



Toilette sling


CODE RIA211*

Specifications


Material 100% Polyester fabric, ribbon and thread

Dimensions

A: 56 cm - B: 48 cm - C: 45 cm - D: 32 cm - E: 21 cm



* For greater comfort, it is possible to combine the RP200, RP210, RP215 restraint systems of KOALA collection line.



Holder/mobility sling


CODE RIA220

Specifications

Material 100% Polyester fabric, ribbon and thread

Dimensions

A: 65 cm - B: 22 cm - C: 45 cm





Patient lifters


MUEVO patient lifters' design and quality are a guarantee of comfort, safety and reliability. They help people with mobility difficulties to lift and move.

Hydraulic



Tested according to
**UNI EN ISO
10535**

SUPPLIED



Patient lift sling with headrest


- Completely embracing and comfortable
- Three handles on the back side for patient positioning
- Three traction points pelvic, dorsal, head area

Specifications

In PE and ripstop fabric, flame retardant, nylon strip and thread, perspiring, suitable for water contact.

Dimensions

- A: 143 cm
- B: 80 cm
- C: 93 cm
- D: 35 cm
- E: 46 cm



**SMALL
FOOTPRINT**

AVAILABLE
ALSO WITH
PEDAL



Max loading
weight **150 Kg**



ONLY ONE
OPERATOR
NEEDED
ASSEMBLY

CODE RI821

Legs opening by pedal

CODE RI823

Legs opening by lever

- Lowering speed regulation handle
- 4 swivel castor ø 10 cm, 2 with brakes



**STANDARD
FOOTPRINT**

AVAILABLE
ALSO WITH
LEVER



Max loading
weight **180 Kg**



ONLY ONE
OPERATOR
NEEDED
ASSEMBLY

CODE RI825

Legs opening by pedal

CODE RI827

Legs opening by lever

- Lowering speed regulation handle
- 4 swivel castor ø 10 cm, 2 with brakes

Electric



Motorization
08 T:MOTION



MOPEDIA®

Muevo

Tested according to
**UNI EN ISO
10535**



**SMALL
FOOTPRINT**

AVAILABLE
ALSO WITH
PEDAL



Max loading
weight **150 Kg**



ONLY ONE
OPERATOR
NEEDED
ASSEMBLY

CODE RI822

Legs opening by pedal

CODE RI824

Legs opening by lever

- Emergency stop button
- 4 swivel castor ø 10 cm, 2 with brakes



**STANDARD
FOOTPRINT**

AVAILABLE
ALSO WITH
LEVER



Max loading
weight **200 Kg**



ONLY ONE
OPERATOR
NEEDED
ASSEMBLY

CODE RI826


Legs opening by pedal

CODE RI828

Legs opening by lever

- Emergency stop button
- 4 swivel castor ø 10 cm, 2 with brakes

SUPPLIED



Patient lift sling with headrest


- Completely embracing and comfortable
- Three handles on the back side for patient positioning
- Three traction points pelvic, dorsal, head area

Specifications



In PE and ripstop fabric, flame retardant, nylon strip and thread, perspiring, suitable for water contact.

Dimensions

- A: 143 cm
- B: 80 cm
- C: 93 cm
- D: 35 cm
- E: 46 cm



Dimensions



For RI821 - RI822 - RI823 - RI824

A: 66 cm
B: 58 cm
C: 97 cm
D: 82 cm
E: 179 cm
F: 116,5 cm
G: 83 cm
H: 45 cm
I: 55 cm
L: 93,5 cm
M: 103 cm
O: 8 cm
P: 13 cm

For RI825 - RI826 - RI827 - RI828

A: 73 cm
B: 61 cm
C: 97 cm
D: 82 cm
E: 179 cm
F: 126,5 cm
G: 94 cm
H: 53 cm
I: 63 cm
L: 107 cm
M: 116 cm
O: 8 cm
P: 13 cm

ACCESSORIES



Scale for patient lifts

CODE **BLC250**

Power 6x1,5V- AAA batteries

W: 18 x D: 5,2 x H:12,2 cm

Accuracy: 100gr



CE MNN 0122





Stand up lifters

MUEVO UP patient stand up lifters are designed to stand up and move people with mobility difficulties. They are designed and built to meet all demands for a practical and correct use.



Max loading
weight **200 Kg**

CODE RI840

Legs opening by pedal

- Emergency stop button
- 4 swivel castor ø 10 cm, 2 with brakes



Max loading
weight **200 Kg**

CODE RI841

Legs opening by lever

- Emergency stop button
- 4 swivel castor ø 10 cm, 2 with brakes

SUPPLIED



Dorsal sling


- Double underarm padding
- Abdominal band with velcro strap

Specifications


Fabric, 100% polyester

Dimensions


A: 83 cm	F: 13 cm	M: 35 cm
B: 51 cm	G: 54 cm	N: 4 cm
C: 29 cm	H: 41 cm	O: 67 cm
D: 39 cm	I: 10 cm	
E: 26 cm	L: 48 cm	



Dimensions



14



For RI840 - RI841

A: 80 cm	E: 101 cm	I: 84 cm
B: 73 cm	F: 68 cm	L: 94 cm
C: 107 cm	G: 45 cm	M: 8 cm
D: 180 cm	H: 55 cm	N: 13 cm

ACCESSORIES



Dorsal stand up lift sling - Size XL

CODE RP893XL


- Double underarm padding
- Abdominal band with velcro strap

Specifications

Fabric, 100% polyester

Dimensions

A: 92 cm	F: 13 cm	M: 35 cm
B: 56 cm	G: 60 cm	N: 4 cm
C: 29 cm	H: 41 cm	O: 78 cm
D: 39 cm	I: 10 cm	
E: 26 cm	L: 58 cm	



Holder/mobility sling

CODE RP896


- Double underarm padding
- Pelvic traction
- Abdominal band with velcro strap

Specifications

Fabric, 100% polyester

Dimensions

A: 83 cm
B: 51 cm
C: 20,5 cm
D: 39 cm
E: 26 cm
F: 13 cm
G: 54 cm
H: 41 cm
I: 10 cm
L: 48 cm
M: 35 cm
N: 4 cm
O: 67 cm
P: 45 cm
Q: 10 cm
R: 45 cm







Shower trolleys

NEFTI shower trolleys are designed for patients care during washing/showering with table in horizontal or inclined position, with the help of an assistant that operates commands and executes the washing operations.

Hydraulic standard



MOPEDIA®

NEFTI



Max loading
weight **180 Kg**



Adjustable height:
from 59 to 93 cm
Inclination from 0° to 5°



Reversible
sides 25° and 180°





Easy moving
through head/feet sides

17

CODE B1100

- Painted steel
- PVC padded mat reinforced with phthalates free polyester, washable
- Hydraulic piston for elevation
- Gas spring for inclination
- Reversible sides 25° and 180°
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake and with directional lock



Dimensions

A: 59-93 cm	E: 206 cm	L: 66 cm*
B: 141 cm	F: 200 cm*	M: 73 cm
C: 23 cm	H: 67 cm	N: 0° -5°
D: 20 cm	I: 56 cm	

* Internal measurement of the side structure with the cover not installed

Electric standard



MOPEDIA®

NEFTI



Adjustable height:
from 59 to 99 cm
Inclination from 0° to 5°



Reversible
sides 25° and 180°



Easy moving
through head/feet sides



18



Max loading
weight **200 Kg**

CODE BI110

- Painted steel
- PVC padded mat reinforced with phthalates free polyester, washable
- Reversible sides 25° and 180°
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake and with directional lock



Dimensions

A: 59-99 cm	E: 206 cm	L: 66 cm*
B: 141 cm	F: 200 cm*	M: 73 cm
C: 16 cm	H: 67 cm	N: 0° -5°
D: 20 cm	I: 56 cm	

* Internal measurement of the side structure with the cover not installed

Electric bariatric



Adjustable height:
from 64 to 104 cm
Inclination from 0° to 7°



Reversible
sides 25° and 180°




Easy moving
through head/feet sides



19

CODE BI200

- Painted steel
- PVC padded mat reinforced with phthalates free polyester, washable
- Reversible sides 25° and 180°
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake and with directional lock



Dimensions

A: 64-104 cm	E: 205 cm	L: 86 cm*
B: 143,5 cm	F: 200 cm*	M: 91 cm
C: 23 cm	H: 84,5 cm	N: 0°-7°
D: 20 cm	I: 75 cm	

* Internal measurement of the side structure with the cover not installed

Hydraulic pediatric



MOPEDIA®

NEFTI^{SMALL}



Adjustable height:
from 59 to 93 cm
Inclination from 0° to 5°



Reversible
sides 25° and 180°



Easy moving
through head/feet sides


20 kids



Max loading
weight **180 Kg**

CODE **BI180**

- Painted steel
- PVC padded mat reinforced with phtalates free polyester, washable
- Hydraulic piston for elevation
- Gas spring for inclination
- Reversible sides 25° and 180°
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake and with directional lock



Dimensions

A: 59-93 cm	E: 170 cm	L: 67 cm*
B: 141 cm	F: 165 cm*	M: 73 cm
C: 23 cm	H: 67 cm	N: 0° -5°
D: 20 cm	I: 66 cm	

* Internal measurement of the side structure with the cover not installed

Hydraulic crosspieces elevation



Max loading
weight **180 Kg**



Adjustable height:
from 60 to 90 cm
Fixed inclination 2,5°



Reversible
sides 25° and 180°





Easy moving
through head/feet sides

21

CODE BI101

- Painted steel
- PVC padded mat reinforced with phthalates free polyester, washable
- Reversible sides 25° and 180°
- Washable board
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake



Dimensions

A: 60-90 cm	E: 206 cm	I: 66 cm*
B: 160 cm	F: 200 cm*	L: 2,5°
C: 20 cm	G: 59 cm	
D: 20 cm	H: 73 cm	

* Internal measurement of the side structure with the cover not installed

Electric crosspieces elevation



Adjustable height:
from 59 to 94 cm
Fixed inclination 2,5°



Reversible
sides 25° and 180°



Easy moving
through head/feet sides


22



Max loading
weight **200 Kg**

CODE BI111

- Painted steel
- PVC padded mat reinforced with phthalates free polyester, washable
- Reversible sides 25° and 180°
- Washable board
- Powder painted steel frame, with antirust treatment
- High-sliding wheels Ø 125 mm, with total locking brake




Dimensions

A: 59-94 cm	E: 206 cm	I: 66 cm*
B: 160 cm	F: 200 cm*	L: 2,5°
C: 15 cm	G: 59 cm	
D: 20 cm -	H: 73 cm	

* Internal measurement of the side structure
with the cover not installed

ACCESSORIES



CODE BIA110

Pillow,
cm 55x55x14/2h,
inclination 15°



CODE BIA100

Semicylindrical pillow
cm 55x15x7h





Multifunctional chairs

RUGY professional multifunctional medical chairs are intended to facilitate the positioning of the patient during visits or gynecological examinations, operations of blood sampling and infusions.

Examination

FIRE
RESISTANT
CLASS 1 IM



Max loading
weight **200 Kg**



60 cm paper roll
holder - head side

15°



Trendelenburg position

Seat H
52-92 cm



Elevation

0-85°



0-107°

Backrest and legrest inclination



SKEMAFORM

RUGY

ACCESSORIES



CODE PMA210

2-pedal controllers kit
For head lift and
elevation control



CODE PMA200

IV pole - In anodized
aluminum with 2 plastic
hooks (max. capacity
2,5 kg per hook)

25

COLOURS

WITHOUT SURCHARGE*



PM100T
TURQUOISE
#1944



PM100V
LIME GREEN
#1816



PM100R
RED #680



PM100G
YELLOW #41



PM100N
BLACK #991



PM100L
LILAC #5947



PM100B
WHITE #6

* Ready in 10 working days from order

CODE PM100BLU

4 electric motors, 3 sections

- Integrated padded leatherette headrest
- Removable and rotatable padded armrests
- 4 swivel wheels with brake
- ABS protection carter

Specifications

Polyurethane padding density: 40 - H: 5 cm

Upholstery: washable flame retardant leatherette

Dimensions

W: 180 cm completely extended x D: 88 x H: 52÷92 cm

Weight

80 Kg

Gynaecological



FIRE
RESISTANT
CLASS 1 IM



60 cm paper roll
holder - head side



Trendelenburg position



Elevation



Backrest and legrest inclination

26



Max loading
weight **200 Kg**

CODE PM120BLU

4 electric motors, 3 sections

- Integrated padded leatherette headrest
- Remote control and remote control holder
- Removable and rotatable padded armrests
- Anatomic legs supports, height, inclination, depth adjustable and 360° rotatable
- Liquid collection tray in stainless steel, removable
- 4 swivel wheels with brake
- ABS protection carter

Specifications

Polyurethane padding density: 40 - H: 5 cm
Upholstery: washable flame retardant leatherette
Legs supports: PU

Dimensions

W: 180 cm completely extended x D: 88 x H: 52÷92 cm

Weight

95 Kg

ACCESSORIES



CODE PMA210

2-pedal controllers kit
For head lift and
elevation control




CODE PMA200

IV pole - In anodized
aluminum with 2 plastic
hooks (max. capacity
2,5 kg per hook)

COLOURS

WITHOUT SURCHARGE*



PM120T
TURQUOISE
#1944



PM120V
LIME GREEN
#1816



PM120R
RED #680



PM120G
YELLOW #41



PM120N
BLACK #991



PM120L
LILAC #5947



PM120B
WHITE #6

* Ready in 10 working days from order

Blood sampling



SKEMAFORM

RUGY

FIRE
RESISTANT
CLASS 1 IM



60 cm paper roll
holder - head side


Max loading
weight **200 Kg**



15°

Trendelenburg position



Seat H
52-92 cm

Elevation



0-85°

0-107°

Backrest and legrest inclination

ACCESSORIES



CODE PMA210

2-pedal controllers kit
For head lift and
elevation control



CODE PMA200

IV pole - In anodized
aluminum with 2 plastic
hooks (max. capacity
2,5 kg per hook)

27

COLOURS

WITHOUT SURCHARGE*

 PM140T
TURQUOISE
#1944

 PM140V
LIME GREEN
#1816

 PM140R
RED #680

 PM140G
YELLOW #41

 PM140N
BLACK #991

 PM140L
LILAC #5947

 PM140B
WHITE #6

* Ready in 10 working days from order

CODE PM140BLU

4 electric motors, 3 sections

- Integrated padded leatherette headrest
- Remote control and remote control holder
- Armrests manually adjustable in height, inclination and 360° rotatable
- 4 swivel wheels with brake
- ABS protection carter

Specifications

Polyurethane padding density: 40 - H: 5 cm
Upholstery: washable flame retardant leatherette
Armrests: PU

Dimensions

W: 180 cm completely extended x D: 78 x H: 52÷92 cm

Weight

85 Kg



Examination couches

LYTUS examination couches are intended for patient diagnosis, treatment and monitoring.

Electrical 3 sections

FIRE
RESISTANT
CLASS 1 IM

ELECTRICAL
BACKREST
INCLINATION
AND
ELEVATION



SKEMA FORM




Max loading
weight **200 Kg**



Max loading
weight **200 Kg**

Sections dimensions



Standard colours*

- MI310BLU - MI311BLU
- MI310B - MI311B
- MI310N - MI311N

* available in different colours, on request

SERIES MI310*

Width 62 cm

Specifications

Polyurethane padding: density 30 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest inclination: 0°-70°
Gas spring legrest inclination: 0°-90°

Dimensions

W: 193 x D: 62 x H: 52÷92 cm

Weight

57 Kg

SERIES MI311*

Width 62 cm - With castors

Specifications

Polyurethane padding: density 30 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest inclination: 0°-70°
Gas spring legrest inclination: 0°-90°
ø 75 mm castors

Dimensions


W: 193 x D: 72 x H: 52÷92 cm

Weight

60 Kg

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order

Electrical gynecological 3 sections

FIRE
RESISTANT
CLASS 1 IM

ELECTRICAL
BACKREST
INCLINATION
AND
ELEVATION



SKEMA FORM



Lytus



Max loading
weight **200 Kg**



Max loading
weight **200 Kg**

Sections dimensions



Standard colours*

MI320BLU - MI321BLU

MI320B - MI321B

MI320N - MI321N

* available in different colours, on request

SERIES MI320*

Width 62 cm

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-70°

Gas spring legrest inclination: 0°-90°

Dimensions

W: 193 x D: 85 x H: 52÷92 cm

Weight

62 Kg

SERIES MI321*

Width 62 cm - With castors

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-70°

Gas spring legrest inclination: 0°-90°

ø 75 mm castors

Dimensions


W: 193 x D: 85 x H: 52÷92 cm

Weight

65 Kg

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order

Hydraulic 2 sections

FIRE
RESISTANT
CLASS 1 IM

GAS SPRING
BACKREST
INCLINATION



SKEMA FORM



Lytus



Max loading
weight **180 Kg**



Max loading
weight **180 Kg**

Sections dimensions



68 cm (MI385-MI386)
80 cm (MI335-MI336)
90 cm (MI395-MI396)

Dimensions

W: 202 x D: 68 x H: 52÷86 cm (MI385-MI386)

W: 202 x D: 80 x H: 52÷86 cm (MI335-MI336)

W: 202 x D: 90 x H: 52÷86 cm (MI395-MI396)

Standard colours*

● MI385BLU - MI335BLU - MI395BLU
MI386BLU - MI336BLU - MI396BLU


○ MI385B - MI335B - MI395B
MI386B - MI336B - MI396B

● MI385N - MI335N - MI395N
MI386N - MI336N - MI396N

* available in different colours, on request

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order

SERIES MI385*

Width 68 cm

SERIES MI335*

Width 80 cm

SERIES MI395*

Width 90 cm

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-60°

Weight

58 Kg (MI385) - 68 Kg (MI335) - 75 Kg (MI395)

SERIES MI386*

Width 68 cm - With castors

SERIES MI336*

Width 80 cm - - With castors

SERIES MI396*

Width 90 cm - With castors

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0° - 60°

ø 75 mm castors

Weight

61 Kg (MI386) - 71 Kg (MI336) - 78 Kg (MI396)

Electrical 2 sections

FIRE
RESISTANT
CLASS 1 IM

FULLY
ELECTRICAL



SKEMA FORM



Lytus



Max loading
weight **200 Kg**



Max loading
weight **200 Kg**

Sections dimensions



132 cm



69 cm

68 cm (MI380-MI381)
80 cm (MI330-MI331)
90 cm (MI390-MI391)

Dimensions

W: 202 x D: 68 x H: 52÷92 cm (MI380-MI381)

W: 202 x D: 80 x H: 52÷92 cm (MI330-MI331)

W: 202 x D: 90 x H: 52÷92 cm (MI390-MI391)

Standard colours*

● MI380BLU - MI330BLU - MI390BLU
MI381BLU - MI331BLU - MI391BLU

○ MI380B - MI330B - MI390B
MI381B - MI331B - MI391B

● MI380N - MI330N - MI390N
MI381N - MI331N - MI391N

* available in different colours, on request

COLOURS

WITHOUT SURCHARGE**



151



717



4947



1809



1830



4981



1955

** Ready in 10 working days from order

SERIES MI380*

Width 68 cm

SERIES MI330*

Width 80 cm

SERIES MI390*

Width 90 cm

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-60°

Weight

57 Kg (MI380) - 67 Kg (MI330) - 74 Kg (MI390)

SERIES MI381*

Width 68 cm - With castors

SERIES MI331*

Width 80 cm - With castors

SERIES MI391*

Width 90 cm - With castors

Specifications

Polyurethane padding: density 30 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-60°

ø 75 mm castors

Weight

60 Kg (MI381) - 70 Kg (MI331) - 77 Kg (MI391)

Electrical 2 sections

FIRE
RESISTANT
CLASS 1 IM

MANUAL
BACKREST
INCLINATION



Max loading
weight **150 Kg**

SERIES MI370*

Width 62 cm

Specifications

Polyurethane padding: Density 25 - H: 5 cm

Upholstery: Washable flame retardant leatherette

Backrest inclination: 0°-60°

Dimensions

W: 184 x D: 62 x H: 56÷82 cm

Weight

45 Kg



Max loading
weight **150 Kg**

SERIES MI371*

Width 62 cm - With castors

Specifications

Polyurethane padding: density 25 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest inclination: 0°-60°

ø 75 mm castors


Dimensions

W: 184 x D: 72 x H: 56÷82 cm

Weight

48 Kg

Sections dimensions



Standard colours*

● MI370BLU - MI371BLU


○ MI370B - MI371B

● MI370N - MI371N

* available in different colours, on request

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order

Electrical crosspieces elevation

FIRE
RESISTANT
CLASS 1 IM

MANUAL
BACKREST
INCLINATION



SKEMA FORM



Max loading
weight **200 Kg**



Max loading
weight **200 Kg**

SERIES MI340*

Width 62 cm

Specifications

Polyurethane padding: density 25 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest inclination: 0°-60°
High-sliding ø 125 mm castors with brake

Dimensions

W: 184 x D: 62 x H: 52÷92 cm

Weight

56 Kg

SERIES MI341*

Width 62 cm with facial hole

Specifications

Polyurethane padding: density 25 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest inclination: 0°-60°
High-sliding ø 125 mm castors with brake



Dimensions

W: 184 x D: 62 x H: 52÷92 cm

Weight

56 Kg

Sections dimensions



Standard colours*

MI340BLU - MI341BLU


MI340B - MI341B

MI340N - MI341N

* available in different colours, on request

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order



ACCESSORIES



Bilateral control handles for backrest inclination

CODE MIA250

(MI335, MI336, MI382x, MI383x, MI385x, MI386x, MI392x, MI393x, MI395x, MI396x)



Pedal for electrical couch elevation

CODE MR332

(MI37x)



Pedal for couch and headrest electrical elevation

CODE MR333

(MI330x, MI331x, MI380x, MI381x, MI390x, MI391x)

36



Folding side rails - Pair

CODE MIA312***

(MI31x, MI32x)



Padded, adjustable side armrests - Pair

CODE MIA315X***

(MI31x, MI32x)



Adjustable black PU armrests for blood sampling - Pair

CODE MIA316***

(MI31x, MI32x)



Anatomical thighs supports for gynecology in PU, black and adjustable - Pair

CODE MIA320

(MI31x, MI32x)

*** Only 1 of the 3 codes can be installed per couch



Feet side paper holder 60 cm

CODES **MIA391** (MI37X),
MIA392 (MI38X),
MIA393 (MI33X, MI39X)

Feet side paper holder 80 cm
CODE **MIA394** (MI33X, MI39X)



Head side paper holder 60 cm

CODES **MIA395** (MI33X, MI39X),
MIA396 (MI38X),
MIA398 (MI31X, MI32X)

Head side paper holder 80 cm
CODE **MIA397** (MI33X, MI39X)



Folding bedrails for patient
containment - Pair
Dimension cm W:72 x H:26 x H:15
(from the lying surface)

CODE **MIA310***
(MI33x, MI37x, MI38x, MI39x)

CODE **MIA311****
(MI33x, MI38x, MI39x)

*Can only be purchased when ordering the couch

**Can be purchased separately or subsequently



Perimeter bar for height
adjustment - Pair
Compatible with Lytus electric (excluding MI31x
MI32x, MI34x).

CODE **MIA301***
CODE **MIA300**** (not illustrated)
(MI330, MI331, MI37x, MI380, MI381, MI390, MI391)

*Can only be purchased when ordering the couch

**Can be purchased separately or subsequently



SKEMA FORM



Lytus



Aluminium IV pole with
2 hooks - H: 100÷145 cm

CODE **MIA305***
(MI33x MI37x, MI38x, MI39x)

*Can only be purchased when ordering the couch



Aluminium IV pole with
2 hooks - H: 100÷145 cm

CODE **MIA306**
(MI31x/MI32x)



Steel examination couches

RYGEL and LYBRA examination couches are intended for physiotherapy diagnosis and short treatments.

3 sections rectangular tubular frame

FIRE
RESISTANT
CLASS 1 IM



Max loading
weight **180 Kg**

SERIES MOV350*

Width 60 cm

Specifications

PU padding: density 25 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest: inclination 0°-70°

Legrest: inclination 0°-90°

Dimensions

W: 185 cm (overall) - 112 cm (external, including legs)
x D: 60 x H: 83 cm

Weight

35 Kg

Standard colours*

● MOV350BLU

○ MOV350B

● MOV350N



Max loading
weight **180 Kg**

SERIES MOV355*

Width 60 cm - Gynecological

Specifications

PU padding: density 25 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest: inclination 0°-70°

Legrest: inclination 0°-90°

Dimensions

W: 185 cm (overall) - 112 cm (external, including legs)
x D: 78 x H: 83 cm

Weight

39 Kg


Standard colours*

● MOV355BLU

○ MOV355B

● MOV355N

Sections dimensions



39

ACCESSORIES



CODE MIA385

Paper holder



CODE MIR194

Complete
leg supports for
MOV35x - Pair

2 sections

rectangular tubular frame

FIRE
RESISTANT
CLASS 1 IM



SKEMA FORM



40



Max loading
weight **180 Kg**

SERIES MOV333*

Width 60 cm

Specifications

Polyurethane padding: density 25 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest: inclination 0°-60°
2 adjustable feet

Dimensions

W: 185 (total) - 156 (external legs) x D:60 x H: 79 cm


Weight

36 Kg

Standard colours*

- MOV333BLU
- MOV333B
- MOV333N

Sections dimensions



Max loading
weight **180 Kg**

SERIES MOV340*

Width 75 cm - Physiotherapy

Specifications

Polyurethane padding: density 25 - H: 5 cm
Upholstery: washable flame retardant leatherette
Backrest: inclination 0°-60°
2 adjustable feet

Dimensions

W: 185 (total) - 155 (external legs) x D:75 x H: 79 cm


Weight

40 Kg

Standard colours*

- MOV333BLU
- MOV333B
- MOV333N

Sections dimensions



2 sections

round tubular frame



SKEMA FORM



FIRE
RESISTANT
CLASS 1 IM



Max loading
weight **180 Kg**

SERIES MOC330*

Chromed steel

SERIES MOV330*

Painted steel

Specifications

Polyurethane padding: density 25 - H: 5 cm

Upholstery: washable flame retardant leatherette

Backrest: inclination 0°-60°

4 adjustable feet

Dimensions

W: 185 (total) 161 (external legs) x D:60 x H: 79 cm

Weight

33 Kg


Standard colours*

● MOC330BLU - MOV330BLU

○ MOC330B - MOV330B

● MOC330N - MOV330N

Sections dimensions



ACCESSORIES



Paper holder

CODE MIA385

(MOV333)

CODE MIA376

(MOV340)



Paper holder

CODE MIA370

(MOC330, MOV330)

Picture with
Optional
Accessories



42 ||

Ward stretcher

SKEMA FORM ward stretcher is intended for the transfer of patients in the healthcare sector.

Fixed height
painted aluminium



Safe working load
215 Kg



Maximum
patient's weight
180 Kg

CODE **BC100**

Stretcher without accessories

- 4 corner resin bumpers
- 4 swivel castors, 2 with brake Ø 200 mm

Specifications

Backrest with manual inclination 0°-70°

Dimensions

Stretcher W: 212 x D: 72 x H: 88 cm

Stretcher net W: 200 x D: 65 x H: 74 cm

Weight

32 Kg

Sections dimensions



65 cm

ACCESSORIES



PU mattress - density 30 - with PU/PE removable waterproof, antibacterial, flame retardant class IM and 95°C washable cover
W: 195 x D: 65 x H: 7 cm - Weight: 3,7 Kg

CODE BCA114



Chromed steel reversible bedrails - Pair

CODE BCA110



Steel oxygen bottle holder, max Ø 18 cm

CODE BCA111



Painted steel drawer

CODE BCA112



Stainless steel IV pole - 4 stainless steel hooks

CODE BCA113



Aluminium IV pole - 2 plastic hooks

CODE BCA115

Revolving stools



44



Max loading weight **150 Kg**



Max loading weight **150 Kg**



Max loading weight **150 Kg**



Max loading weight **150 Kg**

SERIES MI474*

Piston gas 14 cm

SERIES MI479*

Piston gas 20 cm

Dimensions

H: 42÷56 cm (MI474)
H: 53÷73 cm (MI479)
Seat: Ø 32 cm
(flame retardant padding)
Base: Ø 50 cm
(aluminium)

Standard colours*

- MI474BLU - MI479BLU
- MI474B - MI479B
- MI474N - MI479N

* Available in different colours

SERIES MI477*

Piston gas 14 cm

Dimensions

H: 42÷56 cm
Seat: Ø 32 cm
(flame retardant padding)
Base: Ø 54 cm
(nylon)

Standard colours*

- MI477BLU
- MI477B
- MI477N

SERIES MI476*

Piston screw 14 cm

Dimensions

H: 42÷56 cm
Seat: Ø 32 cm
(flame retardant padding)
Base: Ø 54 cm
(nylon)

Standard colours*

- MI476BLU
- MI476B
- MI476N

SERIES MI478N


Piston gas 14 cm

Dimensions

H: 40÷53 cm
Seat: D: 35 W: 33 H: 15 cm (PU)
Base: Ø 54 cm
(nylon)

COLOURS

WITHOUT SURCHARGE**



** Ready in 10 working days from order

Painted steel steps



Max loading
weight **150 Kg**

CODE MI481

1 step

Dimensions:

Step dimension

W: 38 x D: 45 x H: 24 cm

Board dimension

W: 38 x D: 20 cm

Weight

4 Kg



Max loading
weight **150 Kg**

CODE MI482

2 steps, adjustable feet

Dimensions:

Step dimension

W: 38 x D: 50 x H: 41 cm

Board dimension

W: 38 x D: 20 cm

Weight

6,5 Kg

45



46


I.V. Pole in stainless steel AISI 304



60 Kg

Loading weight:
15 Kg per hook

Piston
elevating



CODE **MI440**

Base - Pole - 4 Hooks
in stainless steel

Dimensions

154÷255 cm

Weight

19 Kg

Specifications

Base: weighted, anti tipping $\varnothing$ 65 cm
Castors: double - antistatic - swivel $\varnothing$
7,5 cm - two with brake

I.V. Poles

plastic base



10 Kg



20 Kg



10 Kg



20 Kg



20 Kg

STAINLESS
STEEL

47

CODE MI432

Anodized aluminium
pole - 2 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

CODE MI433

Anodized aluminium
pole - 4 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

CODE MI435

Stainless steel pole -
2 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

CODE MI436

Stainless steel pole -
4 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

CODE MI437

Stainless steel pole
and hooks - 4 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

I.V. Poles metal base



48 ||



CODE MI425



Stainless steel pole,
aluminium base - 4
stainless steel hooks

Specifications

Base: with 5 spokes $\varnothing$ 50 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm



CODE MI426

Stainless steel pole,
base and hooks -
4 hooks

Specifications

Base: with 5 spokes $\varnothing$ 54 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm



CODE MI427

Stainless steel pole,
base and hooks -
4 hooks

Specifications

Base: with 5 spokes $\varnothing$ 50 cm
Castors: swivel $\varnothing$ 50 mm

Dimensions

H: 135÷240 cm

ACCESSORIES



2 antistatic castors kit with quick coupling stem

CODE MIA422-1

(EXCEPT MI427 AND MI440)



2 castors kit with brake, with quick coupling stem

CODE MIA423-1

(EXCEPT MI427 AND MI440)



2 antistatic castors kit with threaded stem

CODE MIA422-2

(ONLY FOR MI427)



2 castors kit with brake with threaded stem

CODE MIA423-2

(ONLY FOR MI427)



Only stainless steel handle

CODE MIA441


(ONLY FOR MI440)



Stainless steel handle and tray

CODE MIA443

(ONLY FOR MI440)



Weighting disc 1,7 Kg - max 2 pcs per pole

CODE MIA420

(EXCEPT MI440)



Instrumentation support, designed for Moretti rods pole

CODE MIA421

(EXCEPT MI440)



Universal instrumentation support, for rods pole with $\varnothing$ between 21 and 28 mm

CODE MIA421-1

(EXCEPT MI440)



Plastic bottle holder (housing for 200 ml + 1000 ml bottles)

CODE MO441

Modular trolleys

with 1 shelf, 1 column and 1 handle



SKEMA FORM



50



CODE CI100B

Shelf 30x40 cm

CODE CI105B

Shelf 35x40 cm

- Base, shelf, handle in painted powder steel
- Aluminium column
- Antistatic castors Ø 7,5 cm - rear castors with brake
- Adjustable height handle and shelf

Specifications

Laser cut base
45x50 cm



CODE CI122B

Shelf 35x40 cm

- Base, shelf, handle in painted powder steel
- Aluminium column
- Antistatic castors Ø 7,5 cm - rear castors with brake
- Adjustable height handle and shelf

Specifications

Laser cut base
45x53 cm



CODE CI123B


Shelf 35x40 cm

- Base, shelf, handle in painted powder steel
- Aluminium column
- Antistatic castors Ø 7,5 cm - rear castors with brake
- Adjustable height handle and shelf

Specifications

Laser cut base
45x53 cm

Dimensions



For CI100B - CI105B

A: 80 cm B: 50 cm C: 50 cm D: 40 cm E: 30 cm


For CI122B

A: 80 cm B: 63 cm C: 50 cm D: 40 cm E: 35 cm

For CI123B

A: 100 cm B: 63 cm C: 50 cm D: 40 cm E: 35 cm

SUPPLIED



8 strips
(2 each colour: blue, red, yellow, green)

- h 705mm
(CI100B, CI105B, CI122B)

- h 905mm
(CI123B)

Modular trolleys

with 2 shelves, 2 columns and 2 handles



30 Kg

CODE CI120B

Shelf 35x40 cm

- Base, shelf, handle in painted powder steel
- Aluminium column
- Antistatic castors Ø 7,5 cm - rear castors with brake
- Adjustable height handle and shelf

Specifications

Laser cut base
45x53 cm



30 Kg

CODE CI130B


Shelf 40x50 cm

- Base, shelf, handle in painted powder steel
- Aluminium column
- Antistatic castors Ø 7,5 cm - rear castors with brake
- Adjustable height handle and shelf

Specifications

Welded base
55x58 cm

Dimensions




For CI120B

A: 80 cm B: 63 cm C: 50 cm D: 40 cm E: 35 cm

For CI130B

A: 102 cm B: 73 cm C: 55 cm D: 50 cm E: 40 cm

SUPPLIED



8 strips
(2 each colour: blue, red,
yellow, green)

- h 705mm
(CI120B)

- h 905mm
(CI130B)

ACCESSORIES



Aluminium IV pole
with support

CODE CIA152



Stainless steel IV pole
with support

CODE CIA154



Shelf 30x40cm
for 1 column trolley

CODE CIA100

(C1100)

Shelf 35x40cm
for 1 column trolley

CODE CIA102

(C1105, C1123)

Shelf 35x40cm
for 2 column trolley

CODE CIA104

(C1120)

Shelf 40x50cm
for 2 column trolley

CODE CIA106

(C1130)



Oxygen bottles support

CODE CIA156



Drawer 35x40cm

CODE CIA110

(C1122, C1123)

Drawer 40x50cm

CODE CIA120

(C1130)



Painted steel basket

CODE CIA161



PHONE: +39 055 96 2111
EMAIL: info@morettispa.com

ADDRESS: Via Bruxelles 3, Loc. Meleto,
52022 Caviglia (AR), Italy
