



---

**CORTI** *SRL*

*GOMMA  
PLASTICA  
STAMPI*

# Product Catalog 2025

## Contacts

+39 0362 903489  
[corti.srl@tin.it](mailto:corti.srl@tin.it)  
[www.corti-srl.it](http://www.corti-srl.it)





# INDEX

**06**

**Furniture**

---

**20**

**Textile Industry**

---

**30**

**Elevators and Lifts**

---

**42**

**Hydraulic Fittings**

---



# FURNITURE



**Cylindrical Foot**

H 40 mm  
M10 Screw



**Cylindrical Foot**

H 60 mm  
M10 Screw



**Cylindrical Foot**

H 80 mm  
M10 Screw




**Conical Foot**

H 60 mm  
M10 Screw



**Spacer**

H 10 mm







**Anti-Slip Foot Pad**

# FURNITURE

## Cylindrical Foot with Metric Threaded Screw


M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)



# FURNITURE

## Cylindrical Foot with Metric Threaded Screw

M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)






| REFERENCE    | D [mm] | H [mm] |
|--------------|--------|--------|
| 00.C01 h. 40 | 60     | 40     |

# FURNITURE

## Cylindrical Foot with Metric Threaded Screw


M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)



# FURNITURE

## Cylindrical Foot with Metric Threaded Screw

M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)






| REFERENCE    | D [mm] | H [mm] |
|--------------|--------|--------|
| 00.C08 h. 60 | 60     | 60     |

# FURNITURE

## Cylindrical Foot with Metric Threaded Screw


M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)



# FURNITURE

## Cylindrical Foot with Metric Threaded Screw

M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)






| REFERENCE    | D [mm] | H [mm] |
|--------------|--------|--------|
| 00.C04 h. 80 | 60     | 80     |

# FURNITURE

## Conical Foot with Metric Threaded Screw


M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)



# FURNITURE

## Conical Foot with Metric Threaded Screw

M10 steel screw (for indoor use) or M10 stainless steel screw (for outdoor use)





| REFERENCE    | D1 [mm] | D2 [mm] | H1 [mm] | H2 [mm] |
|--------------|---------|---------|---------|---------|
| 00.C03 h. 60 | 60      | 87      | 60      | 27      |

# FURNITURE

## Spacer H 10 mm


Compatible with the cylindrical foot for height adjustment



# FURNITURE

## Spacer H 10 mm







Compatible with the cylindrical foot for height adjustment



| REFERENCE | D1 [mm] | D2 [mm] | H [mm] |
|-----------|---------|---------|--------|
| 00.C02    | 60      | 11      | 10     |

# FURNITURE

**Anti-slip foot pad** - compatible with all types of feet, ensures a secure, non-slip grip. Also available in a stain-resistant material upon request



# FURNITURE

**Anti-slip foot pad** - compatible with all types of feet, ensures a secure, non-slip grip. Also available in a stain-resistant material upon request



| REFERENCE | D [mm] | H1 [mm] | H2 [mm] | H3 [mm] |
|-----------|--------|---------|---------|---------|
| 00.21.80  | 48     | 12      | 18      | 5       |



# TEXTILE INDUSTRY



**Female Flange**



**Male Flange**








**Spool**



**Flange**






# TEXTILE INDUSTRY

## Female Flange



# TEXTILE INDUSTRY

## Male Flange



# TEXTILE INDUSTRY




## Female and Male Flange References

| DESCRIPTION   | REFERENCE   | D [mm] | H [mm] |
|---------------|-------------|--------|--------|
| Female flange | 00.4044 F21 | 135    | 21     |
| Female flange | 00.4044 F26 | 135    | 26     |
| Female flange | 00.4044 F31 | 135    | 31     |
| Male flange   | 00.4044 M   | 135    | -      |
| Female flange | 00.4046 F21 | 115    | 21     |
| Female flange | 00.4046 F13 | 115    | 13     |
| Female flange | 00.4046 F15 | 115    | 15     |
| Female flange | 00.4046 F17 | 115    | 17     |
| Female flange | 00.4046 F26 | 115    | 26     |
| Female flange | 00.4046 F28 | 115    | 28     |
| Female flange | 00.4046 F31 | 115    | 31     |
| Male flange   | 00.4046 M   | 115    | -      |
| Female flange | 00.4047 F15 | 108    | 15     |
| Female flange | 00.4047 F26 | 108    | 26     |
| Female flange | 00.4047 F31 | 108    | 31     |
| Male flange   | 00.4047 M   | 108    | -      |
| Female flange | 00.4049 F15 | 170    | 15     |
| Female flange | 00.4049 F21 | 170    | 21     |
| Female flange | 00.4049 F26 | 170    | 26     |
| Female flange | 00.4049 F31 | 170    | 31     |
| Male flange   | 00.4049 M   | 170    | -      |





# TEXTILE INDUSTRY

Spool



# TEXTILE INDUSTRY





## Spool



| REFERENCE   | D1 [mm] | D2 [mm] | H [mm] |
|-------------|---------|---------|--------|
| 00.4045/90  | 90      | 22      | 120    |
| 00.4045/100 | 100     | 22      | 120    |
| 00.4045/110 | 110     | 22      | 120    |
| 00.4045/120 | 120     | 22      | 120    |

# TEXTILE INDUSTRY

## Flange




# TEXTILE INDUSTRY

## Flange References

| DESCRIPTION   | REFERENCE | D [mm] |
|---------------|-----------|--------|
| Single flange | 00.4048 U | 110    |
| Flange        | 00.4050   | 160    |
| Flange        | 00.4051   | 180    |
| Single flange | 00.4052   | 80     |



# ELEVATORS AND LIFTS




**500 Kg Anti-vibration Support**

100x80x30 mm




**500 Kg Anti-vibration Support**

110x150x27 mm



**Anti-vibration Support - Top Mounting**


M6 Screw



**Anti-vibration Support for Elevator Winch**

D 80 mm


M14 Screw



**Anti-vibration Support for Elevator Winch**

D 110 mm

M14 Screw







**Anti-vibration Support - Bottom Mounting**

M12 Screw


# ELEVATORS AND LIFTS

## 500 Kg Anti-vibration Support



# ELEVATORS AND LIFTS





## 500 Kg Anti-vibration Support



| REFERENCE | D1 [mm] | D2 [mm] | L1 [mm] | L2 [mm] | H1 [mm] | H2 [mm] | H3 [mm] |
|-----------|---------|---------|---------|---------|---------|---------|---------|
| 11.129    | 32      | 12      | 100     | 80      | 30      | 16      | 8       |


# ELEVATORS AND LIFTS

## 500 Kg Anti-vibration Support



# ELEVATORS AND LIFTS

## 500 Kg Anti-vibration Support







| REFERENCE | L1 [mm] | L2 [mm] | L3 [mm] | L4 [mm] | H1 [mm] | H2 [mm] |
|-----------|---------|---------|---------|---------|---------|---------|
| 11.097    | 150     | 110     | 45      | 30      | 27      | 8       |

# ELEVATORS AND LIFTS

## Anti-vibration Support with Metric Threaded Screw - Top Mounting

M6 steel screw







| REFERENCE | L1 [mm] | L2 [mm] | L3 [mm] | H1 [mm] | H2 [mm] |
|-----------|---------|---------|---------|---------|---------|
| 11.121    | 20      | 58      | 60      | 78      | 16      |

# ELEVATORS AND LIFTS

## Anti-vibration Support for Elevator Winch with Metric Threaded Screw

M14 steel screw







| REFERENCE | D [mm] | H1 [mm] | H2 [mm] |
|-----------|--------|---------|---------|
| 11.120    | 80     | 25      | 45      |

# ELEVATORS AND LIFTS

## Anti-vibration Support for Elevator Winch with Metric Threaded Screw

M14 steel screw







| REFERENCE | D [mm] | H1 [mm] | H2 [mm] |
|-----------|--------|---------|---------|
| 11.096    | 110    | 28      | 40      |



# ELEVATORS AND LIFTS

## Anti-vibration Support with Metric Threaded Screw - Bottom Mounting


M12 steel screw



# ELEVATORS AND LIFTS

## Anti-vibration Support with Metric Threaded Screw - Bottom Mounting

M12 steel screw



| REFERENCE | L1 [mm] | L2 [mm] | L3 [mm] | H1 [mm] | H2 [mm] | H3 [mm] |
|-----------|---------|---------|---------|---------|---------|---------|
| 11.122    | 100     | 50      | 24      | 29      | 20      | 32      |



# HYDRAULIC FITTINGS



**Snap-on Tube Cover**



**Threaded Tube Cover**






**Tube Cover**



**Cap with Collar**


# HYDRAULIC FITTINGS

## Snap-on Tube Cover



# HYDRAULIC FITTINGS

## Snap-on Tube Cover



# HYDRAULIC FITTINGS



## Snap-on Tube Cover References

| REFERENCE | D [mm] |
|-----------|--------|
| 00.6912   | 11     |
| 00.6914   | 12.5   |
| 00.6915   | 14.1   |
| 00.6917   | 18     |
| 00.6918   | 18.8   |
| 00.6919   | 20.4   |
| 00.6920   | 22     |
| 00.6921   | 26     |
| 00.6921/1 | 26.7   |
| 00.6923   | 28     |
| 00.6924   | 29.8   |
| 00.6925   | 33.1   |
| 00.6927   | 41.1   |
| 00.6931   | 13     |
| 00.6941   | 25.1   |
| 00.6942   | 36.3   |
| 00.6948   | 20     |
| 00.6951   | 17.2   |
| 00.6952   | 22     |
| 00.6957   | 24     |
| 00.6960   | 27     |
| 00.6961   | 9.5    |
| 00.6963   | 14     |
| 00.6980   | 8.8    |




# HYDRAULIC FITTINGS

## Threaded Tube Cover



# HYDRAULIC FITTINGS




## Threaded Tube Cover



| REFERENCE | D1 [mm] | D2 [mm] |
|-----------|---------|---------|
| 00.7006   | 21      | 16      |


# HYDRAULIC FITTINGS

## Tube Cover



# HYDRAULIC FITTINGS

## Tube Cover



# HYDRAULIC FITTINGS





## Tube Cover References

| REFERENCE    | D [mm] | H [mm] |
|--------------|--------|--------|
| 00.6953      | 62     | 17.6   |
| 00.6962      | 18     | 19.5   |
| 00.6927      | 41.1   | -      |
| 00.6962      | 18     | 19.5   |
| 00.037,7tub  | 33.7   | -      |
| 00.038 tub   | 38     | -      |
| 00.044,5 tub | 44.5   | -      |
| 00.051 tub   | 51     | -      |
| 00.057 tub   | 57     | -      |
| 00.6953      | 62     | 17.6   |
| 00.063,5 tub | 63.5   | -      |
| 00.076,1 tub | 76.1   | -      |
| 00.088,9 tub | 88.9   | -      |
| 00.114 tub   | 114    | -      |
| 00.114,3 tub | 114.3  | -      |
| 00.139 tub   | 139    | -      |
| 00.168,3 tub | 168.3  | -      |
| REFERENCE    | D ["]  | H [mm] |
| 00.21 tub    | ½      | -      |
| 00.027 tub   | ¾      | -      |
| 00.044 tub A | 1 1/4  | 50     |
| 00.044 tub B | 1 1/4  | 20     |
| 00.048.3 tub | 1 1/2  | -      |
| 00.060.3 tub | 2      | -      |
| 00.088 tub   | 3      | -      |




# HYDRAULIC FITTINGS

## Cap with Collar



# HYDRAULIC FITTINGS

Cap with Collar



# HYDRAULIC FITTINGS

## Cap with Collar References

| DESCRIPTION     | REFERENCE | D1 [mm] | D2 [mm] |
|-----------------|-----------|---------|---------|
| Cap with Collar | 00.8556   | 17      | 16      |
| Cap with Collar | 00.8558   | 11      | 9       |
| Cap with Collar | 00.8562   | 20.5    | 19      |
| Cap with Collar | 00.8563   | 22      | 20      |
| Cap with Collar | 00.8566   | 13      | 12      |
| Cap with Collar | 00.8569   | 16      | 15      |
| Cap with Collar | 00.8573   | 19      | 17      |
| Cap with Collar | 00.8573/S | 19.5    | 17      |
| Cap with Collar | 00.8577   | 16.5    | 15      |
| Cap with Collar | 00.8580   | 21.5    | 19      |
| Cap with Collar | 00.8582   | 15      | 12      |
| Cap with Collar | 00.8584   | 25      | 24      |
| Cap with Collar | 00.8585   | 26      | 24      |
| Cap with Collar | 00.8587   | 45      | 42      |
| Cap with Collar | 00.8594   | 9       | 8       |
| Cap with Collar | 00.8595   | 29.5    | 27      |





### Where We Are

Via Rivera, 47

20841, Carate Brianza (MB)

+39 0362 903489

[corti.srl@tin.it](mailto:corti.srl@tin.it)

[www.corti-srl.it](http://www.corti-srl.it)

[Follow us on LinkedIn](#)

# Corti Srl, Since 1961

## A History of Excellence

