



GRUPPO SIGI

LIGHTING LED RGB

EASYLIGHT



CATALOGUE

INDEX

EASYLIGHT

EASYLIGHT SPHERE LED RGB 40mm	6
EASYLIGHT STRING LED RGB NEW	8
EASYLIGHT ICICLE LED RGB	10
EASYLIGHT CURTAIN LED RGB	12
EASYLIGHT STRING LED RGB	17
EASYLIGHT MODULE LED RGB	28
EASYLIGHT TUBE LED RGB	35
EASYLIGHT SPHERE LED RGB	37
EASYLIGHT NET LED RGB	40
EASYLIGHT TREE LED RGB	44
EASYLIGHT ACCESSORIES	48

SMART LED RGB

SMART LED STRING	54
SMART LED ICICLE	55
SMART LED CURTAIN	58
SMART LED MEGA BULBS	60
SMART LED SPHERE	62
SMART LED CONE	65
SOFTWARE	66
SMART ACCESSORIES	67

LUXI WIFI LED RGB

LUXI WIFI LED RGB STRING	71
LUXI WIFI LED RGB ICICLE	73
LUXI WIFI LED RGB CURTAIN	75
LUXI WIFI LED RGB MEGA BULBS	77
LUXI WIFI LED RGB SPHERE	79
LUXI WIFI RGB LED CONE	81
LUXI WIFI LED RGB NEON FLEX	83
LUXI WIFI ACCESSORIES	84

WHEN
LIGHT
becomes
COLOR




EasyLight

PER PROFESSIONAL CUSTOMERS



Medium and large projects


The products of the **EasyLight line** are aimed at a professional clientele who intend to carry out medium and large-sized projects and require a higher level of quality. The **numerous RGB LED products**, from simple strings to building illumination modules, together with multi-channel programmable controllers, offer a wide range of possibilities. The **EasyLight system** is completely produced by the SIGI GROUP, from the **EasyLight Studio programming software** to the single RGB LED. This guarantees **360° assistance** for the customer. The projects and animations that can be created with **EasyLight** can reach unparalleled levels, as SIGI GROUP has demonstrated in its **installations in Italy and abroad**.



EasyLight Controller

The **sophisticated EasyLight controller**, with 15 or 8 channels, designed by SIGI GROUP, interfaces perfectly with our RGB LED products. It is able to manage up to 256 LEDs for each channel (scalable mode up to 1280 LEDs for 3 channels), reaching a maximum number of **3840 LEDs** per controller, which can be driven at a maximum frequency of 30fps. Through the **EasyLight Studio software** the effects are stored internally, thus avoiding the need for an active computer on site to manage the animation.

More controllers for every project



Obviously **more than one controller** can be used for each project, each of them being able to synchronize with the others by means of a single Ethernet cable, also used for programming from **EasyLight Studio**. The EasyLight controller can also emulate an **Art-Net node** with 170 LEDs per channel, so that it can be driven live by applications such as **Madrix** or **Resolume Arena**. If the programmable function is not desired, 15 or 8 channel **Art-Net** only controllers are also available.


Innovative software EasyLight Studio

The **Windows PC software** needed to program our **EasyLight** and **Smart** controllers. Creating complex works is very simple, the phase of **construction/installation** of the lights and the **design** of the animation can proceed in parallel, thanks to the possibility of modifying every aspect of the project, such as dimensions, position of the LEDs and connection between them, assignment of channels and of controllers, and much more. The ever-expanding **pluggable effects range** from simple pixel bitmaps, color flashes, fades, to captured video frames, as well as advanced operations such as animation blending, brightness/contrast control, etc... All you need is a **PC with Windows OS** is equipped with an Ethernet port for **programming EasyLight controllers**, or a USB port for **Smart** controllers.

RGB LED SPHERE 40mm



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: OPAQUE	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	



SIGI PR-005-25-1

String LED RGB programmable, spherical cap 40mm, 3 LEDs, 1m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 2W, indoor and outdoor use

SIGI PR-005-25-2

String LED RGB programmable, spherical cap 40mm, 8 LEDs, 2m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 6W, indoor and outdoor use

SIGI PR-005-25-3

String LED RGB programmable, spherical cap 40mm, 12 LEDs, 3m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 9W, indoor and outdoor use

SIGI PR-005-25-4

String LED RGB programmable, spherical cap 40mm, 16 LEDs, 4m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 12W, indoor and outdoor use

SIGI PR-005-25-5

String LED RGB programmable, spherical cap 40mm, 20 LEDs, 5m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 15W, indoor and outdoor use

SIGI PR-005-25-10

String LED RGB programmable, spherical cap 40mm, 40 LEDs, 10m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=25cm, white or black flat cable, 30W, indoor and outdoor use

RGB LED SPHERE 40mm



MADE IN ITALY TECHNICAL INFORMATIONS

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: OPAQUE

OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED



SIGI PR-005-50-1

String LED RGB programmable, spherical cap 40mm, 2 LEDs, 1m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 1.5W, indoor and outdoor use

SIGI PR-005-50-2

String LED RGB programmable, spherical cap 40mm, 4 LEDs, 2m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 3W, indoor and outdoor use

SIGI PR-005-50-3

String LED RGB programmable, spherical cap 40mm, 6 LEDs, 3m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 4.5W, indoor and outdoor use

SIGI PR-005-50-4

String LED RGB programmable, spherical cap 40mm, 8 LEDs, 4m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 6W, indoor and outdoor use

SIGI PR-005-50-5

String LED RGB programmable, spherical cap 40mm, 10 LEDs, 5m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 7.5W, indoor and outdoor use


SIGI PR-005-50-10

String LED RGB programmable, spherical cap 40mm, 20 LEDs, 10m, 12VDC, IP67, extendable, 4 internal LEDs, space between the LEDs A=50cm, white or black flat cable, 15W, indoor and outdoor use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	



SIGI PR 101-P-2m-20LED-A10

String LED RGB programmable, 20 LEDs, 2m, 12VDC, IP67, extendable, space between the LEDs A=10cm, white or black flat cable, 6W, indoor and outdoor use

SIGI PR 101-P-4m-40LED-A10

String LED RGB programmable, 40 LEDs, 4m, 12VDC, IP67, extendable, space between the LEDs A=10cm, white or black flat cable, 12W, indoor and outdoor use

SIGI PR 101-P-10m-100LED-A10

String LED RGB programmable, 100 LEDs, 10m, 12VDC, IP67, extendable, space between the LEDs A=10cm, white or black flat cable, 30W, indoor and outdoor use

SIGI PR 101-P-15m-150LED-A10

String LED RGB programmable, 150 LEDs, 15m, 12VDC, IP67, extendable, space between the LEDs A=10cm, white or black flat cable, 45W, indoor and outdoor use


SIGI PR 101-P-20m-200LED-A10

String LED RGB programmable, 200 LEDs, 20m, 12VDC, IP67, extendable, space between the LEDs A=10cm, white or black flat cable, 60W, indoor and outdoor use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	



SIGI PR 101-P-2m-16LED-A12,5

String LED RGB programmable, 16 LEDs, 2m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 4.8W, indoor and outdoor use

SIGI PR 101-P-4m-32LED-A12,5

String LED RGB programmable, 32 LEDs, 4m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 10W, indoor and outdoor use

SIGI PR 101-P-5m-40LED-A12,5

String LED RGB programmable, 40 LEDs, 5m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 12W, indoor and outdoor use

SIGI PR 101-P-10m-80LED-A12,5

String LED RGB programmable, 80 LEDs, 10m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 24W, indoor and outdoor use


SIGI PR 101-P-15m-120LED-A12,5

String LED RGB programmable, 120 LEDs, 15m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 36W, indoor and outdoor use

SIGI PR 101-P-20m-160LED-A12,5

String LED RGB programmable, 160 LEDs, 20m, 12VDC, IP67, extendable, space between the LEDs A=12.5cm, white or black flat cable, power 48W, indoor and outdoor use

ICICLE LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED

OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED



SIGI PR 103-P-108-A10


Icicle LED RGB programmable, LED, 12VDC, width 3m, height 0.5m, 108 LEDs, 33W, space between LEDs A=10cm, extendable, white or black flat cable, 1m segments, outdoor use

SIGI PR 103-P-159-A10


Icicle LED RGB programmable, LED, 12VDC, width 3m, height 1m, 159 LEDs, 47W, space between LEDs A=10cm, extendable, white or black flat cable, 1m segments, outdoor use

SIGI PR 103-P-234-A10

Icicle LED RGB programmable, LED, 12VDC, width 3m, height 1.5m, 234 LEDs, 70W, space between LEDs A=10cm, extendable, white or black flat cable, 1m segments, outdoor use



ICICLE LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED

OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED



SIGI PR 103-P-75-A12,5


Icicle LED RGB programmable, 12VDC, width 3m, height 0.5m, 75 LEDs, 22W, space between the LEDs A=12.5cm, extendable, white or black flat cable, 1m segments, outdoor use

SIGI PR 103-P-123-A12,5


Icicle LED RGB programmable, 12VDC, width 3m, height 1m, 123 LEDs, 36W, space between the LEDs A=12.5cm, extendable, white or black flat cable, 1m segments, outdoor use

SIGI PR 103-P-171-A12,5


Icicle LED RGB programmable, 12VDC, width 3m, height 1.5m, 171 LEDs, 51W, space between the LEDs A=12.5cm, extendable, white or black flat cable, 1m segments, outdoor use



CURTAIN LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	



SIGI PR 102-P-200-A10

Curtain LED RGB programmable, 12VDC, width 2m, height 1m, 200 LEDs, 60W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-300-A10


Curtain LED RGB programmable, 12VDC, width 2m, height 1.5m, 300 LEDs, 90W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-400-A10


Curtain LED RGB programmable, 12VDC, width 2m, height 2m, 400 LEDs, 120W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use

The width and height dimensions include an empty space along the perimeter of the curtain to allow the installation of multiple curtains both horizontally and vertically

CURTAIN LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	



SIGI PR 102-P-128-A12,5

Curtain LED RGB programmable, 12VDC, width 2m, height 1m, 128 LEDs, 39W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-192-A12,5


Curtain LED RGB programmable, 12VDC, width 2m, height 1.5m, 196 LEDs, 60W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-256-A12,5

Curtain LED RGB programmable, 12VDC, width 2m, height 2m, 256 LEDs, 77W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use

The width and height dimensions include an empty space along the perimeter of the curtain to allow the installation of multiple curtains both horizontally and vertically

CURTAIN LED RGB



TECHNICAL INFORMATIONS

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

STRUCTURE: ALUMINIUM FRAME

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED



SIGI PR 102-P-TA-220-A10

Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 1m, 220 LEDs, 66W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use


SIGI PR 102-P-TA-320-A10

Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 1.5m, 320 LEDs, 96W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use


SIGI PR 102-P-TA-420-A10

Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 2m, 420 LEDs, 125W, space between the LEDs A=10cm, extendable, white or black flat cable, outdoor use

The version with aluminum frame also allows the extension of the frame both horizontally and vertical, so as to create large animated panels



CURTAIN LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

STRUCTURE: ALUMINIUM FRAME

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED



SIGI PR 102-P-TA-144-A12,5


Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 1m, 144 LEDs, 44W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-TA-208-A12,5


Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 1.5m, 208 LEDs, 63W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use

SIGI PR 102-P-TA-272-A12,5



Curtain LED RGB programmable with aluminium frame, 12VDC, width 2m, height 2m, 272 LEDs, 82W, space between the LEDs A=12.5cm, extendable, white or black flat cable, outdoor use



CURTAIN LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
CAP INSTALLATION: WITHOUT PROFILE/WITH PROFILE	



*(A = misura personalizzabile)

SIGI PR 002 2m x 1m

Curtain LED RGB programmable, 200 LEDs, width 2m, height 1m, A*=10cm, 12VDC, IP67, white or black color cable, indoor/outdoor use, 48W

SIGI PR 002 2m x 1,5m

Curtain LED RGB programmable, 300 LEDs, width 2m, height 1.5m, A*=10cm, 12VDC, IP67, white or black color cable, indoor/outdoor use, 72W

SIGI PR 002 2m x 2m

Curtain LED RGB programmable, 400 LEDs, width 2m, height 2m, A*=10cm, 12VDC, IP67, white or black color cable, indoor/outdoor use, 96W


SIGI PR 002 2m x 3m

Curtain LED RGB programmable, 600 LEDs, width 2m, height 3m, A*=10cm, 12VDC, IP67, white or black color cable, indoor/outdoor use, 144W

SIGI PR 002 1m x 5m

Curtain LED RGB programmable, 500 LEDs, width 1m, height 5m, A*=10cm, 12VDC, IP67, white or black color cable, indoor/outdoor use, 120W

STRING LED RGB



MADE IN ITALY TECHNICAL INFORMATION

VOLTAGE: 12V




LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, CLIP/NO CLIP

OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED



SIGI PR 001 1m 10 LED A10

String LED RGB programmable, 10 LEDs, 1m, 12VDC, IP67, space between the LEDs A*=10cm, 3W, white or black cable, indoor outdoor use

SIGI PR 001 2m 20 LED A10

String LED RGB programmable, 20 LEDs, 2m, 12VDC, IP67, space between the LEDs A*=10cm, 6W, white or black cable, indoor outdoor use

SIGI PR 001 3m 30 LED A10

String LED RGB programmable, 30 LEDs, 3m, 12VDC, IP67, space between the LEDs A*=10cm, 9W, white or black cable, indoor outdoor use

SIGI PR 001 4m 40 LED A10

String LED RGB programmable, 40 LEDs, 4m, 12VDC, IP67, space between the LEDs A*=10cm, 12W, white or black cable, indoor outdoor use

SIGI PR 001 5m 50 LED A10

String LED RGB programmable, 50 LEDs, 5m, 12VDC, IP67, space between the LEDs A*=10cm, 15W, white or black cable, indoor outdoor use

SIGI PR 001 10m 100 LED A10

String LED RGB programmable, 100 LEDs, 10m, 12VDC, IP67, space between the LEDs A*=10cm, 30W, white or black cable, indoor outdoor use



SIGI PR 001 15m 150 LED A10

String LED RGB programmable, 150 LEDs, 15m, 12VDC, IP67, space between the LEDs A*=10cm, 45W, white or black cable, indoor outdoor use


SIGI PR 001 20m 200 LED A10

String LED RGB programmable, 200 LEDs, 20m, 12VDC, IP67, space between the LEDs A*=10cm, 60W, white or black cable, indoor outdoor use

STRING LED RGB



*(A = customizable size)



TECHNICAL INFORMATION

VOLTAGE: 12V

LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE

SIGI PR 016-1 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 3.6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use

SIGI PR 016-1 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use

SIGI PR 016-1 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 9W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use

SIGI PR 016-1 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 12W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use

SIGI PR 016-1 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 15W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use



SIGI PR 016-1 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, 30W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 016-3 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 3.6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 016-3 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 016-3 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 9W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 016-3 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 12W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use



SIGI PR 016-3 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 15W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 016-3 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, 30W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	

SIGI PR 016-CP-1 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 3.6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use

SIGI PR 016-CP-1 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use

SIGI PR 016-CP-1 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 9W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use

SIGI PR 016-CP-1 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 12W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use

SIGI PR 016-CP-1 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 15W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use



SIGI PR 016-CP-1 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, 30W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 1 internal LED, flat cap, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 016-CP-3 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 7.2W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use

SIGI PR 016-CP-3 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 14.4W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use

SIGI PR 016-CP-3 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 21.6W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use

SIGI PR 016-CP-3 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 29W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use



SIGI PR 016-CP-3 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 36W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use

SIGI PR 016-CP-3 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, 72W, IP67, space between LEDs A*=10cm, external diameter 30.70mm, 3 internal LEDs, flat cap, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	

SIGI PR 004-3 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 7.2W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 004-3 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 15W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 004-3 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 22W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 004-3 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 30W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 004-3 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 36W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use



SIGI PR 004-3 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, 72W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 3 internal LEDs, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 004-6 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 14.5W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 6 internal LEDs, white or black cable, internal external use

SIGI PR 004-6 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 29W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 6 internal LEDs, white or black cable, internal external use

SIGI PR 004-6 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 44W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 6 internal LEDs, white or black cable, internal external use

SIGI PR 004-6 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 58W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 6 internal LEDs, white or black cable, internal external use



SIGI PR 004-6 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 72W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 6 internal LEDs, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 004-9 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 21.5W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 9 internal LEDs, white or black cable, internal external use

SIGI PR 004-9 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 43W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 9 internal LEDs, white or black cable, internal external use

SIGI PR 004-9 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 65W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 9 internal LEDs, white or black cable, internal external use

SIGI PR 004-9 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 87W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 9 internal LEDs, white or black cable, internal external use



SIGI PR 004-9 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 108W, IP67, space between LEDs A*=10cm, external diameter 41.5mm, 9 internal LEDs, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 004-1 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, 30W, IP67, space between LEDs $A^*=10\text{cm}$, external diameter 41.5mm, 1 internal high power LED, white or black cable, internal external use

SIGI PR 004-1 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, 60W, IP67, space between LEDs $A^*=10\text{cm}$, external diameter 41.5mm, 1 internal high power LED, white or black cable, internal external use

SIGI PR 004-1 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, 90W, IP67, space between LEDs $A^*=10\text{cm}$, external diameter 41.5mm, 1 internal high power LED, white or black cable, internal external use

SIGI PR 004-1 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, 120W, IP67, space between LEDs $A^*=10\text{cm}$, external diameter 41.5mm, 1 internal high power LED, white or black cable, internal external use



SIGI PR 004-1 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, 150W, IP67, space between LEDs $A^*=10\text{cm}$, external diameter 41.5mm, 1 internal high power LED, white or black cable, internal external use

STRING LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	



SIGI PR 013 1m 10 LED

String LED RGB extendable, 10 LEDs, 1m, 12VDC, power 6W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 2m 20 LED

String LED RGB extendable, 20 LEDs, 2m, 12VDC, power 12W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 3m 30 LED

String LED RGB extendable, 30 LEDs, 3m, 12VDC, power 18W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 4m 40 LED

String LED RGB extendable, 40 LEDs, 4m, 12VDC, power 24W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 5m 50 LED

String LED RGB extendable, 50 LEDs, 5m, 12VDC, power 30W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 10m 100 LED

String LED RGB extendable, 100 LEDs, 10m, 12VDC, power 60W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 15m 150 LED

String LED RGB extendable, 150 LEDs, 15m, 12VDC, power 90W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 20m 200 LED

String LED RGB extendable, 200 LEDs, 20m, 12VDC, power 120W, IP67, space between LEDs A*=10cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 10m 40 LED

String LED RGB extendable, 40 LEDs, 10m, 12VDC, power 24W, IP67, space between LEDs A*=25cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 013 10m 20 LED



String LED RGB extendable, 10 LEDs, 1m, 12VDC, power 12W, IP67, space between LEDs A*=50cm, external diameter 19.5mm, 3 internal LEDs, white or black cable, internal external use



MODULE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	



SIGI PR 014 1m 10 LED

RGB extendable LED string module, 10 LEDs, 1m, 12VDC, 6W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 014 2m 20 LED

RGB extendable LED string module, 20 LEDs, 2m, 12VDC, 12W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 014 3m 30 LED

RGB extendable LED string module, 30 LEDs, 3m, 12VDC, 18W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 014 4m 40 LED

RGB extendable LED string module, 40 LEDs, 4m, 12VDC, 24W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 014 5m 50 LED

RGB extendable LED string module, 50 LEDs, 5m, 12VDC, 30W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

SIGI PR 014 10m 100 LED

RGB extendable LED string module, 100 LEDs, 10m, 12VDC, 60W, IP67, dimensions 80x18x9mm, space between LEDs A*=10cm, 3 internal LEDs, white or black cable, internal external use

MODULE LED RGB



MADE IN ITALY		TECHNICAL INFORMATION
		VOLTAGE: 12-24V
		LED COLOR: RGB PROGRAMMABLE
		PROTECTION GRADE: IP67
		LENGTH: CUSTOMIZABLE
		CAP: TRANSPARENT/OPAQUE
		INSTALLATION: MOVABLE OR FIXED



SIGI PR PA 017 LP3 0,5m

Aluminium profile RGB LED, 500x21x15mm, IP67, 12-24VDC, 27 LEDs, addressable 3 LEDs per pixel, power 8W, PMMA opaque cover profile, extendable

SIGI PR PA 017 LP3 1m

Aluminium profile RGB LED, 1000x21x15mm, IP67, 12-24VDC, 57 LEDs, addressable 3 LEDs per pixel, power 17.1W, PMMA opaque cover profile, extendable

SIGI PR PA 017 LP3 2m

Aluminium profile RGB LED, 1000x21x15mm, IP67, 12-24VDC, 116 LEDs, addressable 3 LEDs per pixel, power 35W, PMMA opaque cover profile, extendable


SIGI PR PA 017 LP3 3m

Aluminium profile RGB LED, 3000x21x15mm, IP67, 12-24VDC, 177 LEDs, addressable 3 LEDs per pixel, power 53W, PMMA opaque cover profile, extendable

SIGI PR PA 017 KIT

Mounting brackets 2pcs

MODULE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12-24V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	

LIGHT SOURCE: **OSRAM** **CREE**



SIGI PR PA 016 LP3 0,5m

PMMA profile RGB LED, 500x77x68mm, IP67, 12-24VDC, 12-24 LEDs, addressable 6 LEDs per pixel, 3.6-7.2W, PMMA opaque profile, extendable

SIGI PR PA 016 LP3 1m

PMMA profile RGB LED, 1000x77x68mm, IP67, 12-24VDC, 27-54 LEDs, addressable 6 LEDs per pixel, 7.2-12.6W, PMMA opaque profile, extendable

SIGI PR PA 016 LP3 2m

PMMA profile RGB LED, 2000x77x68mm, IP67, 12-24VDC, 57-114 LEDs, addressable 6 LEDs per pixel, 12.6-25.2W, PMMA opaque profile, extendable


SIGI PR PA 016 LP3 3m

PMMA profile RGB LED, 3000x77x68mm, IP67, 12-24VDC, 87-174 LEDs, addressable 6 LEDs per pixel, 25.2-37.8W, PMMA opaque profile, extendable

SIGI PR PA 016 KIT



Mounting brackets 2pcs

MODULE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12-24-36V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	

LIGHT SOURCE: **BIPOLAR CREE**



SIGI PR PA 018 LP6 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12-36VDC, 12 LEDs, addressable 2 pixels, 2.4W, extendable

SIGI PR PA 018 LP6 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12-36VDC, 24 LEDs, addressable 4 pixels, 4.8W, extendable

SIGI PR PA 018 LP6 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12-36VDC, 48 LEDs, addressable 8 pixels, 9.6W, extendable

SIGI PR PA 018 LP12 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12-36VDC, 24 LEDs, addressable 2 pixels, 4.8W, extendable

SIGI PR PA 018 LP12 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12-36VDC, 48 LEDs, addressable 4 pixels, 9.6W, extendable


SIGI PR PA 018 LP12 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12-36VDC, 96 LEDs, addressable 8 pixels, 19.2W, extendable

SIGI PR PA 018 KIT 1/2/3


Mounting brackets 2pcs

MODULE LED RGB




MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12-24-36V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	

LIGHT SOURCE: **WINTAR CREE**



top view



SIGI PR PA 018 LP6DF 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12-36VDC, 24 LEDs, addressable 2/4 LEDs per pixel, 4.8W, extendable

SIGI PR PA 018 LP6DF 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12-36VDC, 48 LEDs, addressable 4/8 LEDs per pixel, 9.6W, extendable

SIGI PR PA 018 LP6DF 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12-36VDC, 96 LEDs, addressable 8/16 LEDs per pixel, 19.2W, extendable

SIGI PR PA 018 LP12DF 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12-36VDC, 48 LEDs, addressable 2/4 LEDs per pixel, 9.6W, extendable

SIGI PR PA 018 LP12DF 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12-36VDC, 96 LEDs, addressable 4/8 LEDs per pixel, 19.2W, extendable


SIGI PR PA 018 LP12DF 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12-36VDC, 192 LEDs, addressable 8/16 LEDs per pixel, 38.5W, extendable

SIGI PR PA 018 KIT 1/2/3


Mounting brackets 2pcs

MODULE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	

LIGHT SOURCE: **5050**



Side view



SIGI PR PA 019 LP3 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12VDC, 15 LEDs, addressable 5 per pixels, 3.6W, extendable

SIGI PR PA 019 LP3 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12VDC, 30 LEDs, addressable 10 pixels, 7.2W, extendable

SIGI PR PA 019 LP3 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12VDC, 60 LEDs, addressable 20 pixels, 14.4W, extendable

SIGI PR PA 019 LP1 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12VDC, 30 LEDs, addressable 30 pixels, 9W, extendable

SIGI PR PA 019 LP1 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12VDC, 60 LEDs, addressable 60 pixels, 18W, extendable


SIGI PR PA 019 LP1 2m

PMMA profile RGB LED, 3000x32mm, IP67, 12VDC, 120 LEDs, addressable 120 pixels, 36W, extendable

SIGI PR PA 019 KIT 1/2/3


Mounting brackets 2pcs

MODULE LED RGB




MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE	
INSTALLATION: MOVABLE OR FIXED	

LIGHT SOURCE: **BISTAR** 5050



top view



SIGI PR PA 019 LP3DF 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12VDC, 30 LEDs, 5/10 LEDs per pixel, 7.2W, extendable

SIGI PR PA 019 LP3DF 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12VDC, 60 LEDs, 10/20 LEDs per pixel, 14.4W, extendable

SIGI PR PA 019 LP3DF 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12VDC, 120 LEDs, 20/40 LEDs per pixel, 28.8W, extendable

SIGI PR PA 019 LP1DF 0,5m

PMMA profile RGB LED, 500x32mm, IP67, 12VDC, 60 LEDs, 30/60 LEDs per pixel, 18W, extendable

SIGI PR PA 019 LP1DF 1m

PMMA profile RGB LED, 1000x32mm, IP67, 12VDC, 120 LEDs, 60/120 LEDs per pixel, 36W, extendable


SIGI PR PA 019 LP1DF 2m

PMMA profile RGB LED, 2000x32mm, IP67, 12VDC, 240 LEDs, 120/240 LEDs per pixel, 72W, extendable

SIGI PR PA 019 KIT 1/2/3

Mounting brackets 2pcs

TUBE LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V

LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE

INSTALLATION: MOVABLE OR FIXED

LIGHT SOURCE: **BRISTAR** 5050



SIGI PR NEON FLEX S-R-25-LP3-0,5m

RGB LED neon flex, 500x25mm, 12VDC, IP67, 30 LEDs, 5 pixels, 7.2W, extendable

SIGI PR NEON FLEX S-R-25-LP3-1m

RGB LED neon flex, 1000x25mm, 12VDC, IP67, 60 LEDs, 10 pixels, 14.4W, extendable

SIGI PR NEON FLEX S-R-25-LP3-2m

RGB LED neon flex, 2000x25mm, 12VDC, IP67, 120 LEDs, 20 pixels, 28.8W, extendable

SIGI PR NEON FLEX S-R-25-LP3-3m

RGB LED neon flex, 3000x25mm, 12VDC, IP67, 180 LEDs, 30 pixels, 43.2W, extendable

SIGI PR NEON FLEX S-R-25-LP3-4m

RGB LED neon flex, 4000x25mm, 12VDC, IP67, 240 LEDs, 40 pixels, 60W, extendable

SIGI PR NEON FLEX S-R-25-LP3-5m


RGB LED neon flex, 5000x25mm, 12VDC, IP67, 300 LEDs, 50 pixels, 72W, extendable

SIGI PR NEON FLEX S-R-25 KIT

Mounting brackets 2pcs

Nota: la lunghezza del NEON FLEX può essere personalizzata

TUBE LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V

LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE

INSTALLATION: MOVABLE OR FIXED

LIGHT SOURCE: **5050**



SIGI PR NEON FLEX S-R-25-LP1-0,5m

LED neon flex, 500x15mm, 12VDC, IP67, 30 LEDs, 15 pixels, 7.2W, extendable

SIGI PR NEON FLEX S-R-25-LP1-1m

LED neon flex, 1000x15mm, 12VDC, IP67, 60 LEDs, 30 pixels, 14.4W, extendable

SIGI PR NEON FLEX S-R-25-LP1-2m

LED neon flex, 2000x15mm, 12VDC, IP67, 120 LEDs, 60 pixels, 28.8W, extendable

SIGI PR NEON FLEX S-R-25-LP1-3m

LED neon flex, 3000x15mm, 12VDC, IP67, 180 LEDs, 90 pixels, 43.2W, extendable

SIGI PR NEON FLEX S-R-25-LP1-4m

LED neon flex, 4000x15mm, 12VDC, IP67, 240 LEDs, 120 pixels, 60W, extendable



SIGI PR NEON FLEX S-R-25-LP1-5m

LED neon flex, 5000x15mm, 12VDC, IP67, 300 LEDs, 150 pixels, 72W, extendable

SIGI PR NEON FLEX S-R-25 KIT

Mounting brackets 2pcs

SPHERE LED RGB



TECHNICAL INFORMATION	
VOLTAGE:	12V
LED COLOR:	RGB PROGRAMMABLE
PROTECTION GRADE:	IP67
LENGTH:	CUSTOMIZABLE
CAP:	OPAQUE

SIGI PR 009 3

RGB LED lamp, 12VDC, 60mm, 3 internal LEDs, 0.6W, not extendable, internal/external use

SIGI PR 009 6

RGB LED lamp, 12VDC, 60mm, 6 internal LEDs, 1.4W, not extendable, internal/external use

SIGI PR 009-R 3

RGB LED lamp, 12VDC, 60mm, 3 internal LEDs, 0.6W, extendable, internal/external use


SIGI PR 009-R 6

RGB LED lamp, 12VDC, 60mm, 6 internal LEDs, 1.4W, extendable, internal/external use

SPHERE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: OPAQUE	



SIGI PR 009 S 5m 10LED A50

Extendable LED string, 60mm diameter, 10 LEDs, 5m, 12VDC, IP67, 6W, space between LEDs A*=50cm, 3 internal LEDs, white or black cable, internal/external use

SIGI PR 009 S 10m 20LED A50

Extendable LED string, 60mm diameter, 20 LEDs, 10m, 12VDC, IP67, 12W, space between LEDs A*=50cm, 3 internal LEDs, white or black cable, internal/external use

SIGI PR 009 S 5m 5LED A100

Extendable LED string, 60mm diameter, 5 LEDs, 5m, 12VDC, IP67, 3W, space between LEDs A*=100cm, 3 internal LEDs, white or black cable, internal/external use


SIGI PR 009 S 10m 10LED A100

Extendable LED string, 60mm diameter, 10 LEDs, 10m, 12VDC, IP67, 6W, space between LEDs A*=100cm, 3 internal LEDs, white or black cable, internal/external use

SPHERE LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: OPAQUE	




SIGI P3 010 6

RGB LED lamp, 95mm diameter, 12VDC, IP67, 6 internal LEDs, 1.44W, not extendable, internal external use

SIGI P3 010-R 6

RGB LED lamp, 95mm diameter, 12VDC, IP67, 6 internal LEDs, 1.44W, extendable, internal external use





SIGI P3 011 9

RGB LED lamp, 120mm diameter, 12VDC, IP67, 9 internal LEDs, 2.4W, not extendable, internal external use



SIGI P3 011-R 9

RGB LED lamp, 120mm diameter, 12VDC, IP67, 9 internal LEDs, 2.4W, extendable, internal external use

NET LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: CONVEX OR FLAT	
COLOR: TRANSPARENT/OPAQUE	



SIGI PR-R-20-16-1

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 23cm, 72 LEDs, 1 internal LED, convex cap, 12VDC, 18W, IP67, internal/external use

SIGI PR-R-20-16-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 23cm, 72 LEDs, 3 internal LEDs, convex cap, 12VDC, 44W, IP67, internal/external use



SIGI PR-R-20-16-CP-1

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 23cm, 72 LEDs, 1 internal LED, flat cap, 12VDC, 18W, IP67, internal/external use

SIGI PR-R-20-16-CP-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 23cm, 72 LEDs, 3 internal LEDs, flat cap, 12VDC, 44W, IP67, internal/external use

NET LED RGB



MADE IN ITALY TECHNICAL INFORMATION


VOLTAGE: 12V

LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE


COLOR: TRANSPARENT/OPAQUE





SIGI PR-R-20-04-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 23cm, 72 LEDs, 3 internal LEDs, convex cap, 12VDC, 44W, IP67, internal/external use

NET LED RGB



MADE IN ITALY	TECHNICAL INFORMATION
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: CONVEX OR FLAT	
COLOR: TRANSPARENT/OPAQUE	



SIGI PR-R-30-16-1

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 30cm, 50 LEDs, 1 internal LED, convex cap, 12VDC, 12W, IP67, internal/external use

SIGI PR-R-30-16-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 30cm, 50 LEDs, 3 internal LEDs, convex cap, 12VDC, 30W, IP67, internal/external use


SIGI PR-R-30-16-CP-1

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 30cm, 50 LEDs, 1 internal LED, flat cap, 12VDC, 12W, IP67, internal/external use

SIGI PR-R-30-16-CP-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 30cm, 50 LEDs, 3 internal LEDs, flat cap, 12VDC, 30W, IP67, internal/external use

NET LED RGB



MADE IN ITALY TECHNICAL INFORMATION


VOLTAGE: 12V

LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

COLOR: TRANSPARENT/OPAQUE



SIGI PR-R-30-04-3

RGB LED net, stainless steel structure, 2x2m, extendable, mesh spacing 30cm, 50 LEDs, 3 internal LEDs, convex cap, 12VDC, 30W, IP67, internal/external use

TREE LED RGB



TECHNICAL INFORMATION

VOLTAGE: 12V


LED COLOR: RGB PROGRAMMABLE

PROTECTION GRADE: IP67



CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED

INSTALLATION: MOVABLE

DRIVE: ART-NET SYSTEM OR SIGI PROGRAMMABLE



FRAME + RGB LED



SIGI PR TREE-P 6

Height 6m, diameter 2.45m, aluminium frame, 2480 LED, 750W

SIGI PR TREE-P 8

Height 8m, diameter 3.37m, aluminium frame, 4160 LED, 1300W

SIGI PR TREE-P 10

Height 10m, diameter 4.09m, aluminium frame, 6560 LED, 2000W

SIGI PR TREE-P 12

Height 12m, diameter 4.90m, aluminium frame, 9440 LED, 3000W

SIGI PR TREE-P 14

Height 14m, diameter 5.70m, aluminium frame, 12640 LED, 3800W

SIGI PR TREE-P 16

Height 16m, diameter 6.54m, aluminium frame, 16480 LED, 5000W

SIGI PR TREE-P 18

Height 18m, diameter 7.36m, aluminium frame, 20960 LED, 6300W

SIGI PR TREE-P 20

Height 20m, diameter 8.20m, aluminium frame, 25760 LED, 7750W

FRAME + RGB LED + CARPET



SIGI PR TREE-C 6

Height 6m, diameter 2.45m, aluminium frame, green rattan carpet, 2480 LED, 750W

SIGI PR TREE-C 8

Height 8m, diameter 3.37m, aluminium frame, green rattan carpet, 4160 LED, 1300W

SIGI PR TREE-C 10

Height 10m, diameter 4.09m, aluminium frame, green rattan carpet, 6560 LED, 2000W

SIGI PR TREE-C 12

Height 12m, diameter 4.90m, aluminium frame, green rattan carpet, 9440 LED, 3000W

SIGI PR TREE-C 14

Height 14m, diameter 5.70m, aluminium frame, green rattan carpet, 12640 LED, 3800W

SIGI PR TREE-C 16

Height 16m, diameter 6.54m, aluminium frame, green rattan carpet, 16480 LED, 5000W

SIGI PR TREE-C 18

Height 18m, diameter 7.36m, aluminium frame, green rattan carpet, 20960 LED, 6300W

SIGI PR TREE-C 20

Height 20m, diameter 8.20m, aluminium frame, green rattan carpet, 25760 LED, 7750W

FRAME + RGB LED + BRANCHES



SIGI PR TREE-B 6

Height 6m, diameter 2.45m, aluminium frame, 1120 LED, 350W

SIGI PR TREE-B 8

Height 8m, diameter 3.37m, aluminium frame, 2000 LED, 600W

SIGI PR TREE-B 10

Height 10m, diameter 4.09m, aluminium frame, 3120 LED, 1000W

SIGI PR TREE-B 12

Height 12m, diameter 4.90m, aluminium frame, 4520 LED, 1400W

SIGI PR TREE-B 14

Height 14m, diameter 5.70m, aluminium frame, 6120 LED, 1900W

SIGI PR TREE-B 16

Height 16m, diameter 6.54m, aluminium frame, 8040 LED, 2500W

SIGI PR TREE-B 18

Height 18m, diameter 7.36m, aluminium frame, 10200 LED, 3100W

SIGI PR TREE-B 20

Height 20m, diameter 8.20m, aluminium frame, 12600 LED, 3800W



ACCESSORIES

POWER SUPPLY SIGI AL-12-80

INPUT: 100-250VAC
OUTPUT: 12VDC
POWER: 80W
PROTECTION GRADE: IP67



POWER SUPPLY SIGI AL-12-120

INPUT: 100-250VAC
OUTPUT: 12VDC
POWER: 120W
PROTECTION GRADE: IP67



POWER SUPPLY SIGI AL-12-240

INPUT: 100-250VAC
OUTPUT: 12VDC
POWER: 240W
PROTECTION GRADE: IP67



POWER SUPPLY SIGI AL-12-320

INPUT: 100-250VAC
OUTPUT: 12VDC
POWER: 320W
PROTECTION GRADE: IP67




POWER SUPPLY SIGI AL-12-600

INPUT: 100-250VAC
OUTPUT: 12VDC
POWER: 600W
PROTECTION GRADE: IP67




CONTROLLER SIGI PR CONTROL

INPUT: 100-250VAC
POWER: 30W
PROTECTION GRADE: IP67
CONNECTION: 4G




CONTROLLER SIGI PR PROG 15

INPUT: 12VDC
POWER: 1200W
OUTPUT PORTS: 15
PROTECTION GRADE: IP67




CONTROLLER SIGI PR PROG 8

INPUT: 12VDC
POWER: 500W
OUTPUT PORTS: 8
PROTECTION GRADE: IP67




CONTROLLER SIGI PR ART 15

INPUT: 12VDC
POWER: 1200W
OUTPUT PORTS: 15
PROTECTION GRADE: IP67




CONTROLLER SIGI PR ART 8

INPUT: 12VDC
POWER: 500W
OUTPUT PORTS: 8
PROTECTION GRADE: IP67




CONTROLLER SIGI PROG SMART

INPUT: 100-250VAC
POWER: 50W
OUTPUT PORTS: 1x1000 LED
PROTECTION GRADE: IP67



CONTROLLER SIGI PR PROG A

INPUT: 12VDC
POWER: 1200W
OUTPUT PORTS: 15
PROTECTION GRADE: IP67
SELECTOR 1: 16 POSITIONS
SELECTOR 2: Wi-Fi



ACCESSORIES

SIGI PR CABLE 1


LENGTH: 1m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE 2


LENGTH: 2m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE 3


LENGTH: 3m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE 5


LENGTH: 5m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE 10


LENGTH: 10m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE SIN 2


LENGTH: 2m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



SIGI PR CABLE SIN 5


LENGTH: 5m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK




SIGI PR CR

TIPO: CHIUSURA SEGNALE

VOLTAGE: 12V

PROTECTION GRADE: IP67




SIGI PR RESET IP

TIPO: RESET CONTROLLER

VOLTAGE: 12V

PROTECTION GRADE: IP67



SIGI PR CABLE NETWORK (LAN)

TIPO: ETHERNET

USE: OUTDOOR



ACCESSORIES

CONNECTION SIGI PR-DER 2+A


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



CONNECTION SIGI PR-DER 2A+12P


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



CONNECTION SIGI PR-DER 2A+12


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



CONNECTION SIGI PR-DER 2+A+AMPL


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



CONNECTION SIGI PR-DER 2+A+R


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE/BLACK



CONNECTION SIGI PR-DER 4+2


DIMENSIONI: 15x15cm

VOLTAGE: 12V

POWER: 1500W

PROTECTION GRADE: IP67

COLOR: GREY



SIGNAL EXTENDER


LENGTH: 0.3m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE



EASYLIGHT STUDIO

MADE IN ITALY


OPERATIVE SYSTEM: WINDOWS 7 OR HIGHER

DISC SPACE: 100MB

MEMORY RAM: 4GB

CONNECTION 1: ETHERNET (EASYLIGHT CONTROLLER)

CONNECTION 2: USB (SMART CONTROLLER)





SMART LED RGB

SMART LED STRING	54
SMART LED ICICLE	55
SMART LED CURTAIN	58
SMART LED MEGA BULBS	60
SMART LED SPHERE	62
SMART LED CONE	65
SOFTWARE	66
SMART ACCESSORIES	67



SIGI SMART LED STRING



SIGI SMART LED ICICLE



SIGI SMART LED CURTAIN



SIGI SMART LED MEGA BULBS



SIGI SMART LED SPHERE



SIGI SMART LED CONE



Smart

FOR PROFESSIONAL/DOMESTIC CUSTOMERS

Smart Line

The **small and large installations** decorating large surfaces, building facades and architectural assets to be enhanced and celebrated, which see SIGI assisting customers right from the conception and planning of the intervention, in evaluating the best solutions suited to the context, finally in the creation and in the preparation and supply of the software necessary for its operation. Up to the more general assistance extended over time.


And so entire **light strings** can be programmed having the variety of the RGB color scale available and the ease of control of each individual LED, perhaps so that they turn on and off or change light effects in perfect synchrony. Small and large masterpieces of light, a source of pride and the flagship of a **professionalism** that has become increasingly refined over time.



Smart Controller

For fast semi-professional projects minimal wiring and quick to set up and take down the **SMART controller** offers the perfect solution. The strengths of this product are the small size, the ease of connection, the ability to control up to 1000 LEDs, programming via PC and last but not least the **innovative indirect synchronization**, which allows you to create multi-controller projects without the use of sync cables.

Small and big projects




Whether it's a single controller LED structure, or a long road with dozens of luminous figures, the only connection necessary for the **SMART** controller is the one with the mains. No dedicated power lines, no signal repeaters, no control units.

Innovative software EasyLight Studio

The **Windows PC software** needed to program our **EasyLight** and **Smart** controllers. Creating complex works is very simple, the **construction/set-up** phase of the lights and the animation **design** can proceed in parallel, thanks to the possibility of modifying every aspect of the project, such as dimensions, position of the LEDs and connection between them, channel assignment and controllers, and much more. The constantly expanding **insertable effects** range from simple pixel bitmaps, colored flashes, fades, up to frames captured from video, as well as advanced operations such as animation blends, brightness/contrast control, etc... All you need is a **PC with Windows OS** and equipped with an **Ethernet port** for programming EasyLight controllers, or a USB port for Smart controllers.

KIT SMART LED RGB STRING



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 101-P-200-A10

Controller Smart, programmable via USB with EasyLight Studio, 200 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use




KIT SMART 101-P-200S-A10

Extension 200 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use



PR 101P-10m-100LED-A10

Spare string 10m, 100 LEDs, IP67, space between LEDs A=10cm, flat cable, color white or black, 30W, internal/external use



KIT SMART LED RGB ICICLE



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 103-P-108-A10

Controller Smart, programmable via USB with EasyLight Studio, icicle 108 LEDs, 3m width, 0.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 30W, internal/external use



KIT SMART 103-P-108S-A10

Extension icicle 108 LEDs, 3m width, 0.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 30W, internal/external use



KIT SMART LED RGB ICICLE



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 103-P-159-A10

Controller Smart, programmable via USB with EasyLight Studio, icicle 159 LEDs, 3m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 48W, internal/external use



KIT SMART 103-P-159S-A10

Extension icicle 159 LEDs, 3m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 48W, internal/external use



KIT SMART LED RGB ICICLE



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 103-P-234-A10

Controller Smart, programmable via USB with EasyLight Studio, icicle 234 LEDs, 1m width, 1.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 70W, internal/external use



KIT SMART 103-P-234S-A10

Extension icicle 234 LEDs, 3m width, 1.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 70W, internal/external use



KIT SMART LED RGB CURTAIN




IP67



MADE IN ITALY		TECHNICAL INFORMATION
POWER SUPPLY:		230VAC
CONTROLLER:		PROGRAMMABLE 1000 LEDs
LED COLOR:		RGB
PROTECTION GRADE:		IP67
LENGTH:		CUSTOMIZABLE
CAP:		TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 102-P-200-A10

Controller Smart, programmable via USB with EasyLight Studio, curtain 200 LEDs, 2m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use



KIT SMART 102-P-200S-A10

Extension curtain 200 LEDs, 2m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use




KIT SMART LED RGB CURTAIN



MADE IN ITALY	TECHNICAL INFORMATION
POWER SUPPLY: 230VAC	
CONTROLLER: PROGRAMMABLE 1000 LEDs	
LED COLOR: RGB	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	


KIT SMART USB 102-P-300-A10

Controller Smart, programmable via USB with EasyLight Studio, curtain 300 LEDs, 2m width, 1.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 90W, internal/external use



KIT SMART 102-P-300S-A10

Extension curtain 300 LEDs, 2m width, 1.5m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 90W, internal/external use



KIT SMART LED RGB MEGA BULBS



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 013-80-A25

Controller Smart, programmable via USB with EasyLight Studio, mega bulbs 80 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=25cm, flat cable, color white or black, 30W, internal/external use




KIT SMART USB 013-80S-A25

Extension mega bulbs 80 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=25cm, flat cable, color white or black, 30W, internal/external use



PR 013 10m 40LED

Spare mega bulbs 10m, 40 LEDs, IP67, space between LEDs A=25cm, flat cable, color white or black, 15W, internal/external use



KIT SMART LED RGB MEGA BULBS



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

CONTROLLER: PROGRAMMABLE 1000 LEDs

LED COLOR: RGB


PROTECTION GRADE: IP67

LENGTH: CUSTOMIZABLE

CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED


KIT SMART USB 013-40-A50

Controller Smart, programmable via USB with EasyLight Studio, mega bulbs 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 15W, internal/external use




KIT SMART USB 013-40S-A50

Extension mega bulbs 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 15W, internal/external use



PR 013 10m 20LED

Spare mega bulbs 10m, 20 LEDs, IP67, space between LEDs A=50cm, flat cable, color white or black, 8W, internal/external use




KIT SMART LED RGB SPHERE



TECHNICAL INFORMATION	
MADE IN ITALY	
POWER SUPPLY: 230VAC	
CONTROLLER: PROGRAMMABLE 1000 LEDs	
LED COLOR: RGB	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: OPAQUE	


KIT SMART USB 009-40-A50

Controller Smart, programmable via USB with EasyLight Studio, spheres 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 15W, internal/external use




KIT SMART 009-40S-A50

Extension spheres 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 15W, internal/external use



PR 009 S 10m 20LED

Spare spheres 10m, 20 LEDs, IP67, space between LEDs A=50cm, flat cable, color white or black, 8W, internal/external use




KIT SMART LED RGB SPHERE



MADE IN ITALY		TECHNICAL INFORMATION
POWER SUPPLY: 230VAC		
CONTROLLER: PROGRAMMABLE 1000 LEDs		
LED COLOR: RGB		
PROTECTION GRADE: IP67		
LENGTH: CUSTOMIZABLE		
CAP: OPAQUE		


KIT SMART USB 009-20-A100

Controller Smart, programmable via USB with EasyLight Studio, spheres 20 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=100cm, flat cable, color white or black, 8W, internal/external use




KIT SMART 009-20S-A100

Extension spheres 10 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=100cm, flat cable, color white or black, 8W, internal/external use



PR 009 S 10m 10LED

Spare spheres 10m, 10 LEDs, IP67, space between LEDs A=100cm, flat cable, color white or black, 4W, internal/external use





KIT SMART LED RGB CONE



TECHNICAL INFORMATION	
MADE IN ITALY	
VOLTAGE: 12V	
LED COLOR: RGB PROGRAMMABLE	
PROTECTION GRADE: IP67	
LENGTH: CUSTOMIZABLE	
CAP: TRANSPARENT/OPAQUE, SMOOTH/FROSTED	
OPTIONS: THE QUANTITY OF LED CAN BE CUSTOMIZED	

KIT SMART USB CONO 2m


Controller Smart, programmable via USB with EasyLight Studio, cone 200 LEDs, aluminium structure, artificial decorative green, height 2m, IP67, space between LEDs A=10cm, cable color white or black, 60W, internal/external use

KIT SMART USB CONO 3m

Controller Smart, programmable via USB with EasyLight Studio, cone 430 LEDs, aluminium structure, artificial decorative green, height 3m, IP67, space between LEDs A=10cm, cable color white or black, 130W, internal/external use

KIT SMART USB CONO 4m

Controller Smart, programmable via USB with EasyLight Studio, cone 770 LEDs, aluminium structure, artificial decorative green, height 4m, IP67, space between LEDs A=10cm, cable color white or black, 230W, internal/external use





TECHNICAL INFORMATION

OPERATIVE SYSTEM: WINDOWS 7 OR HIGHER

COMMUNICATION PORTS:

ETHERNET 10/100 (FOR EASYLIGHT CONTROLLER)
USB (FOR SMART CONTROLLER)
USB (FOR HARDWARE KEY)

DISC SPACE: 100MB

MEMORY RAM: 4GB

SIGI SW EASYLIGHT STUDIO


This application allows you to design animations for light effects and send them to EasyLigth and Smart series controllers.

For the programming of the EasyLigth controllers a connection via Ethernet cable is required, for the Smart controllers the procedure takes place via the USB interface.

The software is available in italian and english and requires a USB hardware key, included in the package, to run.

N. B.

The software is freely downloadable from our site in a limited version. If you purchase the license, consisting of a USB hardware key, all functionalities will be enabled.



ACCESSORIES

SIGI SMART 1000 USB


CONTROLLER: 1000 LED

INPUT: 230VAC

POWER: 120W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI SMART 120W

INPUT: 230VAC

POWER: 120W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI SMART 65W

INPUT: 230VAC

POWER: 65W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI SMART RESET

RESET CONNETTOR

VOLTAGE: 12V

PROTECTION GRADE: IP67



SIGI SMART CABLE 1


LENGTH: 1m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI SMART CABLE 2


LENGTH: 2m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI SMART CABLE 3


LENGTH: 3m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI SMART CABLE 5


LENGTH: 5m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI-DER 2A+12


LENGTH: 0.3m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI SMART CABLE USB

USB CABLE

EXTERNAL USE



LUXI WIFI LED RGB

LUXI WIFI LED RGB STRING	64
LUXI WIFI LED RGB ICICLE	64
LUXI WIFI LED RGB CURTAIN	64
LUXI WIFI LED RGB MEGA BULBS	64
LUXI WIFI LED RGB SPHERE	64
LUXI WIFI RGB LED CONE	64
LUXI WIFI LED RGB NEON FLEX	64
LUXI WIFI ACCESSORIES	64



LUXI RGB STRING



LUXI RGB ICICLE



LUXI RGB CURTAIN



LUXI RGB MEGA BULBS



LUXI RGB SPHERE



LUXI RGB NEON FLEX


Luxi

FOR HOME/OFFICE/SHOP CUSTOMERS

Luxi line

Creating the most suitable lighting and play of light for your environment in a **simple, quick and fun** way, to be set and managed via the **App**, even from a smartphone. Ideal for domestic and private use, **easy and immediate to install**, it allows simultaneous control of several strings up to a maximum of **1000 LEDs**, programming the most welcome light and movement effects in RGB.

With the maximum possibility of customization and the guarantee of a product entirely **"made in SIGI"**. And with the full security of **total privacy**, offered by an operating mode that uses its own independent Wi-Fi connection, without the need to access the one at home or at the place of installation.



Start creating now!

To make the best use of all possibilities of light and color of the SIGI products, you can download the **App** to choose your plays of light and your choreographies, at home or wherever you want, with maximum versatility. Everything in full respect personal privacy, private, family and business.



Where to buy


On our website: **www.grupposigi.it** you can buy all the products of the **LUXI LINE** through **our online store**, in a few steps you can receive the products at your home.

Support

The SIGI GROUP supplier will provide all the **technical support** you need and will remain at your disposal for any further clarification in the use of the **App**.




LUXI WIFI LED RGB STRING



MADE IN ITALY		TECHNICAL INFORMATION
		POWER SUPPLY: 230VAC
		LED COLOR: RGB
		PROTECTION GRADE: IP67
		CAP COLOR: TRANSPARENT FROSTED
		COMMAND: VIA APP iOS/ANDROID


SIGI LUXI WIFI 101-P-200-A10

Luxi WiFi controller, controllable with iOS/Android App, 200 LEDs string 20m, extendable, 2 strings 10m, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use




SIGI LUXI WIFI 101-P-200S-A10

Extension string 200 LEDs, 20m, 2 strings 10m, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use




SIGI PR 101P-10m-100 LED-A10

Spare string 100 LEDs, 10m, IP67, space between LEDs A=10cm, flat cable, color white or black, 30W, internal/external use






LUXI WIFI LED RGB ICICLE



MADE IN ITALY	TECHNICAL INFORMATION
POWER SUPPLY: 230VAC	
LED COLOR: RGB	
PROTECTION GRADE: IP67	
CAP COLOR: TRANSPARENT FROSTED	
COMMAND: VIA APP iOS/ANDROID	


SIGI LUXI WIFI 103-P-159-A10


Luxi WiFi controller, controllable with iOS/Android App, icicle 159 LEDs, 3m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 48W, internal/external use




SIGI LUXI WIFI 103-P-159S-A10

Extension icicle 159 LEDs, 3m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 48W, internal/external use






LUXI WIFI LED RGB CURTAIN



MADE IN ITALY		TECHNICAL INFORMATION
POWER SUPPLY: 230VAC		
LED COLOR: RGB		
PROTECTION GRADE: IP67		
CAP COLOR: TRANSPARENT FROSTED		
COMMAND: VIA APP iOS/ANDROID		


SIGI LUXI WIFI 102-P-200-A10

Luxi WiFi controller, controllable with iOS/Android App, curtain 200 LEDs, 2m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use




SIGI LUXI WIFI 102-P-200S-A10

Extension curtain 200 LEDs, 2m width, 1m height, extendable, IP67, space between LEDs A=10cm, flat cable, color white or black, 60W, internal/external use





LUXI WIFI LED RGB MEGA BULBS



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

LED COLOR: RGB


PROTECTION GRADE: IP67

CAP COLOR: TRANSPARENT FROSTED

COMMAND: VIA APP iOS/ANDROID


SIGI LUXI WIFI 013-40-A50

Luxi WiFi controller, controllable with iOS/Android App, mega bulbs 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 24W, internal/external use




SIGI LUXI WIFI 013-40S-A50

Extension mega bulbs 40 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 24W, internal/external use




SIGI PR 013 10m 20LED

Spare mega bulbs 20 LEDs, 10m, IP67, space between LEDs A=50cm, flat cable, color white or black, 12W, internal/external use





LUXI WIFI LED RGB SPHERE



TECHNICAL INFORMATION

ALIMENTAZIONE: 230VAC

COLORE LED: RGB


GRADO DI PROTEZIONE: IP67

CAP COLORE: OPAQUE

COMANDO: VIA APP iOS/ANDROID


SIGI LUXI WIFI 009-20-A100

Luxi WiFi controller, controllable with iOS/Android App, sphere 20 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=100cm, flat cable, color white or black, 12W, internal/external use




SIGI LUXI WIFI 009-20S-A100

Extension sphere 20 LEDs, 20m, extendable, 2 strings 10m, IP67, space between LEDs A=100cm, flat cable, color white or black, 12W, internal/external use




SIGI PR 009 S 10m 10 LED

Spare sphere 20 LEDs, 10m, IP67, space between LEDs A=100cm, flat cable, color white or black, 6W, internal/external use





LUXI WIFI LED RGB CONE



TECHNICAL INFORMATION	
MADE IN ITALY	POWER SUPPLY: 230VAC
	LED COLOR: RGB
	PROTECTION GRADE: IP67
	CAP COLOR: TRANSPARENT FROSTED
	COMMAND: VIA APP iOS/ANDROID

LUXI WIFI CONO 2m


Luxi WiFi controller, controllable with iOS/Android App, cone 235 LEDs, aluminum structure, green color artificial decoration, 2m high, IP67, space between LEDs A=10cm, white or black cable, 60W, internal/external use

LUXI WIFI CONO 3m

Luxi WiFi controller, controllable with iOS/Android App, cone 430 LEDs, aluminum structure, green color artificial decoration, 3m high, IP67, space between LEDs A=10cm, white or black cable, 130W, internal/external use


LUXI WIFI CONO 4m

Luxi WiFi controller, controllable with iOS/Android App, cone 770 LEDs, aluminum structure, green color artificial decoration, 4m high, IP67, space between LEDs A=10cm, white or black cable, 230W, internal/external use





LUXI WIFI LED RGB NEON FLEX 1810



TECHNICAL INFORMATION

POWER SUPPLY: 230VAC

LED COLOR: RGB


PROTECTION GRADE: IP67

CAP COLOR: OPAQUE

COMMAND: VIA APP iOS/ANDROID


LUXI WIFI LED NEON FLEX 1810 2m

Luxi WiFi controller, controllable with iOS/Android App, 120 LEDs, Neon Flex 1810, 2m, not extendable, IP67, space between LEDs A=16mm, white or black cable, 36W, internal/external use



LUXI WIFI LED NEON FLEX 1810 5m

Luxi WiFi controller, controllable with iOS/Android App, 300 LEDs, Neon Flex 1810, 5m, not extendable, IP67, space between LEDs A=16mm, white or black cable, 90W, internal/external use



ACCESSORIES

SIGI LUXI WIFI C-65


CONTROLLER: 1000 LEDs

INPUT: 230VAC

POWER: 65W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI LUXI WIFI C-120


CONTROLLER: 1000 LEDs

INPUT: 230VAC

POWER: 120W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI LUXI WIFI A-65W

INPUT: 230VAC

POWER: 65W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI LUXI WIFI A-120W

INPUT: 230VAC

POWER: 120W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI PR-DER 2A+12


LENGTH: 0.5m

VOLTAGE: 12V

POWER: 600W

PROTECTION GRADE: IP67

COLOR: WHITE




SIGI LUXI RESET

TYPE: RESET CONTROLLER

VOLTAGE: 12V

PROTECTION GRADE: IP67



SIGI PR CABLE 1


LENGTH: 1m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI PR CABLE 2


LENGTH: 2m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI PR CABLE 3


LENGTH: 3m

VOLTAGE: 12V

POWER: 1200W

PROTECTION GRADE: IP67

COLOR: WHITE



SIGI PR CABLE 5


LENGTH: 5m


VOLTAGE: 12V

POWER: 1200W


PROTECTION GRADE: IP67

COLOR: WHITE









GRUPPO SIGI srls
Via Don Luigi Sturzo, 24
63831 - Rapagnano (FM)
ITALY
Tel. +39-3311236357 info@grupposigi.it
www.grupposigi.it



THE
G
I
Y
S
A
E

MADE IN ITALY

