




OTTO

COLLECTION

FINE PORTABLE LAMPS
SUITABLE FOR OUTDOOR





DESIGN FEATURES

-  DUST & WATER PROTECTION GRADE
-  WHITE COLOUR TEMPERATURE
-  SAFETY EXTRA LOW VOLTAGE
-  EUROPEAN HEALTH & SAFETY COMFORMITY



OTTO

C O L L E C T I O N

**FINE PORTABLE LAMPS
SUITABLE FOR OUTDOOR**

The OTTO collection is born from Cantalupi's visual and artistic experimentation and consolidated experience in high-technology lighting.

OTTO rechargeable portable lamp is designed to illuminate your yacht, villa or garden.

The range has been beautifully designed to make these lamps ideal for outdoor environments although they can also be used indoors, perfect for daily needs, aiming to add comfort to your environment, be it nautical or residential.


A selfpowered portable lamp, OTTO radiates an intelligent and sensual light that is as precise as its own shadow. The unique form, pivotal to its design, creates a neat and bright lighting source that brings elegance to the most exclusive interiors and exteriors and stirs up emotions every time it shines.

The OTTO lamp has a refined design that reflects true Italian style, exclusive materials and fine finishes, a new way of living and a new way of defining light.



**OTTO
MINI**

PAG.06



**OTTO
SMALL**

PAG.08



**OTTO
MEDIUM**

PAG.10



**OTTO
BIG**

PAG.12




**OTTO
ALABSTER**

PAG.14



**OTTO
MIA**

PAG.16



**OTTO
LANTERN**

PAG.18



**OTTO
HANDLE**

PAG.20




**OTTO
SOUND**

PAG.22




**OTTO
GOLD**

PAG.24



**OTTO
BETTY**

PAG.26



**OTTO
LIFTER**

PAG.28

OTTO_{MINI}

8



The smaller version of the collection gives you the freedom and flexibility to move it wherever you want. It becomes an intimate light, to carry with you, to delicately illuminate precious moments.

GENERAL INFO


BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA
BATTERY CHARGER SUPPLIED

MATERIALS AND FINISHES

AVAILABLE IN AISI 116 L STAINLESS STEEL
AVAILABLE IN ALUMINIUM
BOROSILICATED SANDED GLASS
BOROSILICATED CLEAR GLASS
GOLD FOIL DIFFUSER
SILVER FOIL DIFFUSER
ALABASTER DIFFUSER

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 _")
3000K (CODE ENDS IN "3 _")
AUTONOMY: 9H (MAX POWER)
FULL RECHARGE TIME: UP TO 2H
STAINLESS STEEL WEIGHT: 2.2 KG
ALUMINIUM WEIGHT: 1.1 KG



APPLICATIONS

TABLE LIGHT
WET AREAS





SS (IP65) CODE	45 OTTOAMINI 01 D_SS
CH (IP20) CODE	45 OTTOAMINI 02 D_CH




SS (IP65) CODE	45 OTTOMINI 03 D_SS
CH (IP20) CODE	45 OTTOMINI 03 D_CH



SS (IP65) CODE	45 OTTOMINI 02 D_SS
CH (IP20) CODE	45 OTTOMINI 02 D_CH

OTTO SMALL



*The first model conceived.
The elegant lamp with
reduced dimensions to
illuminate your spaces and
add comfort to your
lifestyle.*



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

APPLICATIONS


TABLE LIGHT
WET AREAS

MATERIALS AND FINISHES

POLISHED AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SS")
3000K (CODE ENDS IN "3 SS")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 5.3 KG
FIXING PLATE WEIGHT: 0.35 KG



CODE	CODE (WITH FIXING PLATE)
45 OTTOS1 01 D_ _	45 OTTOS1 04 D_ _



OTTO MEDIUM



It was created to meet the dimensional needs of the first series produced. Its borosilicate glass body diffuses the light and creates a soft and relaxing atmosphere.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS

APPLICATIONS

TABLE LIGHT
WET AREAS


TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SS")
3000K (CODE ENDS IN "3 SS")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 5.3 KG
FIXING PLATE WEIGHT: 0.35 KG



CODE	CODE (WITH FIXING PLATE)
45 OTTOS1 02 D_ _	45 OTTOS1 05 D_ _

OTTO_{BIG}



It is the tallest of the series, designed for large spaces and made up of a solid stainless steel body that hides a technological soul.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS

APPLICATIONS

TABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SS")
3000K (CODE ENDS IN "3 SS")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 5.3 KG
FIXING PLATE WEIGHT: 0.35 KG



CODE

CODE (WITH FIXING PLATE)

45 OTTOS1 03 D_ _

45 OTTOS1 06 D_ _

OTTO ALABASTER

*The beauty of the
imperfection of alabaster is
evident when the light is on,
casting a fascinating and
enigmatic shadow on the
surrounding environment.*





GENERAL INFO

BATTERY POWERED
LOCAL TOUCH CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
ALABASTER DIFFUSER

APPLICATIONS

TABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 ALA")
3000K (CODE ENDS IN "3 ALA")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 2.0 KG




CODE

45 OTTOA1 D_ _





*The refinement of its lines,
the applied technology,
the diffuser entirely in
alabaster and the leather
top cover, give life to a
warm light for your indoor
environments.*



GENERAL INFO

CABLE POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES



POLISHED AISI 316L STAINLESS STEEL BODY
LEATHER TOP WITH STICHES
ALABASTER DIFFUSER

APPLICATIONS

TABLE LIGHT
DRY AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 AB")
3000K (CODE ENDS IN "3 AB")
POWER CONSUMPTION: 4W
POWER SUPPLY:
AC/DC ADAPTER IN 100-240 VAC
OUT 24 VDC (AC/DC SUPPLIED)
WEIGHT: 11.0 KG



CODE

45 OTTO MIA 01 D_ SS



OTTO LANTERN



A portable lamp that combines the particularity of its lines, characterized by the exclusivity of rattan, with a timeless aesthetic as a synthesis of form and function.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


SATIN AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS
REMOVABLE RATTAN COVER

APPLICATIONS

TABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SSS")
3000K (CODE ENDS IN "3 SSS")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V $\pm$ 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TP 2H
WEIGHT: 4.2 KG



CODE

45 OTTO LANT 01 D_ _



OTTO HANDLE



Characterized by an attractive aesthetic, the lamp also includes sophisticated details such as a practical handle designed to be comfortably carried.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
FOLDAWAY HANDLE
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS

APPLICATIONS

TABLE LIGHT
DRY AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SS")
3000K (CODE ENDS IN "3 SS")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V $\approx$ 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 4.7 KG



CODE

45 OTTOH 01 D_ _



It reveals its multiple functions through use, creating atmosphere and music, meeting aesthetic and technological standards by being equipped with Bluetooth functionality to be controlled directly from your device.



GENERAL INFO

BATTERY POWERED - LOCAL CONTROL ON/OFF/DIMM
BLUETOOTH CONNECTION / SYNC UP TO 4 DEVICES
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


BLACK ANODIZED ALUMINUM BODY
GOLD ANODIZED ALUMINUM ACOUSTIC DIFFUSER
PMMA LIGHT DIFFUSER

APPLICATIONS

TABLE MUSIC LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 BG")
3000K (CODE ENDS IN "3 BG")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V $\pm$ 3 A (SUPPLIED)
AUTONOMY: 6H (MAX POWER LIGHT & SOUND)
RECHARGE TIME: UP TO 2H
WEIGHT: 2.4 KG



CODE

45 OTTOS ASOUN 01 D_ _

OTTO_{GOLD}



The meeting of two predominant colors completes the design of this iconic lamp, conceived to enrich contemporary atmospheres.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


BLACK ANODIZED ALUMINUM BODY
GOLD ANODIZED ALUMINUM LIGHT DIFFUSER
PMMA LIGHT DIFFUSER

APPLICATIONS

TABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 BG")
3000K (CODE ENDS IN "3 BG")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V $\pm$ 3 A (SUPPLIED)
AUTONOMY: 9H (MAX POWER)
RECHARGE TIME: UP TO 2H
WEIGHT: 2.1 KG



CODE

45 OTTOS AG 01 D_ __

OTTO BETTY PORTABLE



An intelligent and functional solution for those who live outdoor spaces and have dynamic lifestyles.



GENERAL INFO

BATTERY POWERED
LOCAL CONTROL ON/OFF/DIMM
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
LACQUERED WHITE ALUMINIUM LAMPSHADE
TEMPERED SANDED GLASS TOP DIFFUSER
SANDED PMMA BOTTOM DIFFUSER

APPLICATIONS

TABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 LA")
3000K (CODE ENDS IN "3 LA")
LI-ION CHARGER: 100-240 VAC
50-60 Hz 2.5 A MAX
DC 16.8 V $\pm$ 3 A (SUPPLIED)
AUTONOMY: 7H (MAX POWER)
FULL RECHARGE TIME: UP TO 2H
WEIGHT: 11.7 KG




CODE

45 OTTO BETT 01 D_ _ (WITHOUT FIXING PLATE)
45 OTTO BETT 02 D_ _ (WITH FIXING PLATE)



OTTO LIFTER



It is a retractable lamp with automatic movement via an electric actuator, suitable for recreating the perfect atmosphere in any environment. Aesthetics and functionality come together to create this light, ideal for any environment where a great visual impact is required.





GENERAL INFO

WIRED POWERED WITH MOVEMENT
THROUGH AN ELECTRICAL ACTUATOR
REMOTE CONTROL ON/OFF/DIMM/UP/DOWN
SUITABLE BOTH FOR YACHT AND VILLA

MATERIALS AND FINISHES


POLISHED AISI 316L STAINLESS STEEL BODY
BOROSILICATED SANDED GLASS

APPLICATIONS

DECORATIVE RETRACTABLE LIGHT
WET AREAS

TECHNICAL DATA

CCT: 2700K (CODE ENDS IN "2 SSNEW")
3000K (CODE ENDS IN "3 SSNEW")
OSMOTIC VALVE
CONTROL: DALI OR PUSH
CTRL BOX POWER SUPPLY: 100 - 240 VAC
50 - 60 Hz
LIGHT POWER CONSUMPTION: 18W
MOTOR POWER CONSUMPTION: 24W



CODE


45 OTTOLIFT01 D2 SSNEW
45 OTTOLIFT01 D3 SSNEW
(CONTROL BOX CODE PROVIDED ON DATASHEET)





CUSTOM

*Any OTTO can be tailored according to
wished materials, finishes and size.
A refined and unique experience,
a personal style that becomes
exclusive through the customization
of your needs and your taste.*





OTTO IS A
COMBINATION OF
CRAFTSMANSHIP
AND INNOVATION,
AN **ICONIC LAMP**
THAT PRODUCES
LIGHT TO WARM
UP YOUR DREAMS.



**NORTH
AMERICA**

EUROPE

**SOUTH
AMERICA**

An outline map of Asia and Australia. The map shows the coastlines of these continents. A small brown dot is located in East Asia, and another small brown dot is located in the southern part of Australia. The word 'ASIA' is written in bold black capital letters next to the dot in Asia, and the word 'AUSTRALIA' is written in bold black capital letters next to the dot in Australia.

ASIA

**WE WORK WITH
THE MOST RENOWNED
ARCHITECTURAL FIRMS
AND OVER 100 DESIGNERS
WORLDWIDE**

AUSTRALIA

All the products shown in this catalogue are manufactured in compliance with the European safety directives. Details about the conformity of the products are available from datasheets or instruction manuals.

Due to the constant evolution of LED technology and performance improvement, technical features of products manufactured in different periods may result in minor differences, in particular with regard to luminous flux and finishes.

All the statements listed in this catalogue are indicative and they cannot be considered as binding for the company. Cantalupi Lighting reserves the right to make changes, replace or discontinue products, even without prior notice, in order to improve technical features or quality.

Changes that may occur will be notified to clients at the moment of quotation or purchase order. For any further information please contact our customer care service.

Use of pictures, drawings and symbols available in this catalogue is subject to approval from Cantalupi Lighting.



www.cantalupi.it



www.cantalupilighting.it



www.4cinnovation.com



CANTALUPI LIGHTING SRL
via Fosso Legnami, 217
55040 Piano di Mommio (LU)
ITALY
Tel. +39 0584 42791
www.cantalupilighting.it